

# PRICE GUIDE 2025



# Lava Vented Front View featuring GlowFire™ Log Technology

This one-of-a-kind masterpiece gives the look and the feel of the log on fire; because it is! Each Glowfire™ log is individually orificed and ported allowing the fuel to flow out of the log presenting the most realistic gas log set on the market.





# **TABLE OF CONTENTS**

| Select your Size, Log, Burner, Controls, and Accessories | 1 |
|--|---|
| Minimum Fireplace Dimensions                             | 3 |
| Lava Burner w/ GlowFire™ Log Technology                  | 4 |
| Bedrock Series   | 5 |
| Indoor/Outdoor Vented Log Sets and Burners               | 6 |
| Vented Assembled Burner Systems                          | 7 |
| See Through Logs, Burners, and Assembled Burners 8/      | 9 |
| Jumbo/Jumbo Slimline Log Sets and Burners 1              | 0 |
| Vented Contemporary, Cannonballs 1                       | 1 |
| Controls, Twigs, and Accessories, Glass 12/1             | 3 |
| Controls and Accessories; Indoor and Outdoor 1           | 4 |
| Ventless Log Sets and Burners 1                          | 5 |
| Outdoor Fire Pit Kits 1                                  | 6 |
| Outdoor Fire Pit Kits and Fire Pit Logs 1                | 7 |
| Outdoor Fire Products and Accessories 1                  | 8 |
| Fire Tables 1  | 9 |
| Fire Bowls 2   | 0 |
| Kiva Sets and Point of Purchase Displays 2               | 1 |
| Replacement Parts  | 3 |





















# SELECT YOUR...

# Size, Log, Burner, Controls, and Accessories.



Measure front width, rear width, height and depth of empty fire box.

Refer to sizing chart on the next pages.



# **MINIMUM FIREPLACE DIMENSIONS**

| Lava Durnar  |                 |             |                  | MINIMUM FIRE          | PLACE SIZ     | E9                    |                       |
|--|-----------------|-------------|------------------|-----------------------|---------------|-----------------------|-----------------------|
| Lava Burner  | SIZE            | FRONT WIDTH | DEPTH            | BACK WIDTH            | HEIGHT        | BTU RATING NG         | BTU RATING LP         |
|  |                 |             |                  |                       |               | HIGH LOW              | HIGH LOW              |
|  | 18"             | 28"         | 16"              | 18"                   | 22"           | 40k 25k               | 40k 18k               |
| × X  | 24"             | 34"         | 16"              | 24"                   | 22"           | 55k 35k               | 55k 30k               |
|  | 30"<br>36"      | 40"<br>46"  | 18"<br>10"       | 30"<br>36"            | 26"<br>26"    | 75k 45k               | 75k 40k               |
|  | 36"             | 46"         | 18"              | 36"                   | 26"           | 85k 55k               | 85k 48k               |
| 2-Burner with controls (Match Lite, SPQMKN/LP,   |                 | I           | ı                | MINIMUM FIRE          |               |                       |                       |
| MVQMKN/LP, MMVKR-NG/LP, EIS-N/L)   | SIZE            | FRONT WIDTH | DEPTH            | BACK WIDTH            | HEIGHT        | BTU RATING NG         | BTU RATING LP         |
|  | 18"             | 30"         | 14"              | 18"                   | 14"           | 52k                   | 49k                   |
| 1 14.  | 21"<br>24"      | 33"<br>36"  | 14"<br>14"       | 21"<br>24"            | 14"<br>14"    | 58k<br>64k            | 58k                   |
|  | 24<br>30"       | 36<br>42"   | 14<br>16"        | 2 <del>4</del><br>30" | 14<br>14"     | 64k<br>76k            | 64k<br>79k            |
|  | 36"             | 48"         | 16"              | 36"                   | 14"           | 81k                   | 83k                   |
|  | 42"             | 54"         | 16"              | 42"                   | 14"           | 86k                   | 87k                   |
|  | 48"             | 60"         | 16"              | 48"                   | 16"           | 150k                  | 145k                  |
|  | 60"             | 72"         | 16"              | 60"                   | 16"           | 175k                  | 165k                  |
|  |                 |             |                  | MINIMUM FIRE          | PLACE SIZ     | ES                    |                       |
| 2-Burner with controls (MVKEIKN/LP)  | SIZE            | FRONT WIDTH | DEPTH            | BACK WIDTH            | HEIGHT        | BTU RATING NG         | BTU RATING LP         |
|  | 18"             | 36"         | 14"              | 24"                   | 14"           | 52k                   | 49k                   |
|  | 21"             | 39"         | 14"              | 27"                   | 14"           | 58k                   | 58k                   |
|  | 24"             | 42"         | 14"              | 30"                   | 14"           | 64k                   | 64k                   |
| Med = EVEN   | 30"             | 48"         | 16"              | 36"                   | 14"           | 76k                   | 79k                   |
| The state of the s | 36"<br>42"      | 54"         | 16"              | 42"                   | 14"<br>14"    | 81k                   | 83k                   |
|  | 42"             | 60"         | 16"              | 48"                   | 14"           | 86k                   | 87k                   |
| 3-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)  | 0175            | FROM WIRTH  | DEDTIL           | MINIMUM FIRE          | 1             |                       | DTU DATING I D        |
| 11 Q 11 (1 )   | SIZE<br>18"     | FRONT WIDTH | DEPTH<br>14"     | 18"                   | HEIGHT<br>16" | BTU RATING NG<br>46k  | BTU RATING LP         |
|  | 21"             | 33"         | 14"              | 21"                   | 16"           | 58k                   | 58k                   |
|  | 24"             | 36"         | 14"              | 24"                   | 16"           | 74k                   | 64k                   |
|  | 30"             | 42"         | 16"              | 30"                   | 16"           | 102k                  | 91k                   |
|  | 36"             | 48"         | 16"              | 36"                   | 16"           | 111k                  | 106k                  |
|  | 42"             | 54"         | 16"              | 42"                   | 16"           | 120k                  | 121k                  |
| bo Slimline-Burner with controls (Match Lite, HCSPQMKN/LP,   |                 |             |                  | MINIMUM FIRE          | PLACE SIZ     |                       |                       |
| HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)   | SIZE            | FRONT WIDTH | DEPTH            | BACK WIDTH            | HEIGHT        | BTU RATING NG         | BTU RATING LP         |
| <b>a</b> .   | 24"             | 36"         | 21"              | 24"                   | 30"           | 103k                  | 95k                   |
|  | 30"<br>36"      | 42"<br>48"  | 21"<br>21"       | 30"<br>36"            | 30"<br>30"    | 112k<br>150k          | 110k<br>145k          |
|  | 42"             | 54"         | 21"              | 42"                   | 30"           | 165k                  | 160k                  |
|  | 48"             | 60"         | 21"              | 48"                   | 30"           | 195k                  | 190k                  |
|  | 60"             | 72"         | 21"              | 60"                   | 30"           | 230k                  | 225k                  |
|  |                 |             | -                |                       |               |                       |                       |
| Jumbo-Burner with controls latch Lite, HCSPQMKN/LP, HCMVQMKN/LP, EIS-N/LP)   | CIZE            | FRONT WIDTH | DEDTU            | MINIMUM FIRE          |               |                       | DTU DATING LD         |
|  | <b>SIZE</b> 36" | 48"         | <b>DEPTH</b> 24" | 36"                   | HEIGHT<br>30" | BTU RATING NG<br>150k | BTU RATING LP<br>145k |
|  | 30<br>42"       | 48<br>54"   | 24<br>24"        | 36<br>42"             | 30"           | 165k                  | 145k<br>160k          |
|  | 48"             | 60"         | 24"              | 48"                   | 30"           | 195k                  | 190k                  |
|  | 60"             | 72"         | 24"              | 60"                   | 30"           | 230k                  | 225k                  |
|  | 72"             | 84"         | 24"              | 72"                   | 30"           | 240k                  | 230k                  |
| Mary III   | 84"             | 96"         | 24"              | 84"                   | 30"           | 270k                  | 240k                  |
| 245  | 96"             | 108"        | 24"              | 96"                   | 30"           | 300k                  | 275k                  |
|  | 108"            | 120"        | 24"              | 108"                  | 30"           | 350k                  | 325k                  |
|  | 120"            | 132"        | 24"              | 120"                  | 30"           | 500k                  | 450k                  |
| Bedrock Vented Linear Drop-in Burner   |                 | I           | 1                | MINIMUM FIRE          |               |                       |                       |
| •  | SIZE            | FRONT WIDTH | DEPTH            | BACK WIDTH            | HEIGHT        | BTU RATING NG         | BTU RATING LP         |
|  | 24"             | 24"         | 15"              | 24"                   | 20"           | 30k/20k               | 30k/15k               |
| Townson, Commission of the Com | 36"             | 36"         | 15"              | 36"                   | 20"           | 45k/30k               | 45k/20k               |
|  | 48"             | 48"         | 15"              | 48"                   | 20"           | 60k/40k               | 60k/30k               |
|  | 60"             | 60"         | 15"              | 60"                   | 20"           | 75k/50k               | 75k/40k               |
|  | 72"<br>84"      | 72"<br>94"  | 15"<br>15"       | 72"<br>94"            | 20"           | 90k/60k               | 90k/50k               |
|  | 84<br>96"       | 84"<br>96"  | 15"<br>15"       | 84"<br>96"            | 20"<br>20"    | 105k/70k<br>120k/80k  | 105k/55k<br>120k/60k  |
|  | 20              | ~ '         |                  | ,,                    | 20            | .2017,001             | .2017,001             |
|  | ~               | RANDAC      | ANYO             | N.                    |               |                       |                       |
|  |                 |             |                  |                       |               |                       |                       |

# MINIMUM FIREPLACE DIMENSIONS

| VIVA Dumas with controls (Metab Lite CDOM/AVI D  |                         |             |            | MINIMUM FIRE            | PI ACE SI7 | FS            |               |  |  |  |
|--|-------------------------|-------------|------------|-------------------------|------------|---------------|---------------|--|--|--|
| KIVA-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) | SIZE                    | FRONT WIDTH | DEPTH      | BACK WIDTH              | HEIGHT     | BTU RATING NG | BTU RATING LP |  |  |  |
|  |                         |             |            |                         |            |               |               |  |  |  |
| $\Lambda \Lambda \lambda$  | 18"<br>24"              | 24"<br>30"  | 12"<br>12" | 12"<br>18"              | 18"<br>18" | 45k<br>52k    | 35k<br>49k    |  |  |  |
|  | 30"                     | 35"         | 12"        | 21"                     | 18"        | 65k           | 64k           |  |  |  |
|  | 00                      | 00          | 12         | 2.                      | 10         | OOK           | O III         |  |  |  |
| Glass H-Burner with controls (Match Lite, SPQMKN/LP,   |                         |             |            | MINIMUM FIRE            | PLACE SIZ  | ES            |               |  |  |  |
| MVQMKN/LP, MMVKR-NG/LP, EIS-N/L)   | SIZE                    | FRONT WIDTH | DEPTH      | BACK WIDTH              | HEIGHT     | BTU RATING NG | BTU RATING LP |  |  |  |
|  | 18"                     | 30"         | 14"        | 18"                     | 10"        | 52k           | 49k           |  |  |  |
|  | 21"                     | 33"         | 14"        | 21"                     | 10"        | 58k           | 58k           |  |  |  |
|  | 24"                     | 36"         | 14"        | 24"                     | 10"        | 64k           | 64k           |  |  |  |
|  | 30"                     | 42"         | 16"        | 30"                     | 10"        | 76k           | 79k           |  |  |  |
|  | 36"                     | 48"         | 16"        | 36"                     | 10"        | 81k           | 83k           |  |  |  |
| Qui  | 42"                     | 54"         | 16"        | 42"                     | 10"        | 86k           | 87k           |  |  |  |
|  | 48"                     | 60"         | 16"        | 48"                     | 10"        | 150k          | 145k          |  |  |  |
|  | 60"                     | 72"         | 16"        | 60"                     | 10"        | 175k          | 165k          |  |  |  |
| Olace II Duman and the control of ANIVEL (ID)  |                         |             |            | MINIMUM FIRE            | PLACE SIZ  | ES            |               |  |  |  |
| Glass H-Burner with controls (MVKEI/LP)  | SIZE                    | FRONT WIDTH | DEPTH      | BACK WIDTH              | HEIGHT     | BTU RATING NG | BTU RATING LP |  |  |  |
|  | 18"                     | 36"         | 14"        | 24"                     | 10"        | 52k           | 49k           |  |  |  |
|  | 21"                     | 39"         | 14"        | 27"                     | 10"        | 58k           | 58k           |  |  |  |
|  | 24"                     | 42"         | 14"        | 30"                     | 10"        | 64k           | 64k           |  |  |  |
|  | 30"                     | 48"         | 16"        | 36"                     | 10"        | 76k           | 79k           |  |  |  |
|  | 36"                     | 54"         | 16"        | 42"                     | 10"        | 81k           | 83k           |  |  |  |
|  | 42"                     | 60"         | 16"        | 48"                     | 10"        | 86k           | 87k           |  |  |  |
| 2-Burner See Through with controls (Match Lite,  | MINIMUM FIREPLACE SIZES |             |            |                         |            |               |               |  |  |  |
| HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, EIS-N/L)  | SIZE                    | FRONT WIDTH | DEPTH      | BACK WIDTH              | HEIGHT     | BTU RATING NG | BTU RATING LP |  |  |  |
|  | 18"                     | 30"         | 14"        | 30"                     | 14"        | 103k          | 93k           |  |  |  |
|  | 24"                     | 36"         | 14"        | 36"                     | 14"        | 118k          | 100k          |  |  |  |
|  | 30"                     | 42"         | 16"        | 42"                     | 14"        | 128k          | 115k          |  |  |  |
|  | 36"                     | 48"         | 16"        | 48"                     | 14"        | 135k          | 125k          |  |  |  |
|  | 42"                     | 54"         | 16"        | 54"                     | 14"        | 140k          | 130k          |  |  |  |
|  | 48"                     | 60"         | 16"        | 60"                     | 16"        | 150k          | 145k          |  |  |  |
|  | 60"                     | 72"         | 16"        | 72"                     | 16"        | 175k          | 165k          |  |  |  |
| 2-Burner See Through with controls (MVKEIKN/LP)  |                         | T           |            | MINIMUM FIRE            |            | ES            |               |  |  |  |
|  | SIZE                    | FRONT WIDTH | DEPTH      | BACK WIDTH              | HEIGHT     | BTU RATING NG | BTU RATING LP |  |  |  |
| 1111   | 18"                     | 36"         | 14"        | 36"                     | 14"        | 103k          | 93k           |  |  |  |
|  | 24"                     | 42"         | 14"        | 42"                     | 14"        | 118k          | 100k          |  |  |  |
|  | 30"                     | 48"         | 16"        | 48"                     | 14"        | _             | 115k          |  |  |  |
|  | 36"                     | 54"         | 16"        | 54"                     | 14"        | _             | 125k          |  |  |  |
| 3-Burner See Through with controls   | 42"                     | 60"         | 16"        | 60"                     | 14"        |               | 130k          |  |  |  |
| (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,<br>MMVR-NG/LP, MVKEIKN/LP, EIS-N/L)                     | SIZE                    | FRONT WIDTH | DEPTH      | MINIMUM FIRE BACK WIDTH | HEIGHT     | BTU RATING NG | BTU RATING LP |  |  |  |
| IVIIVIVIN-ING/LF, IVIVNEINIV/LF, EIS-IV/L)   | 18"                     | 30"         | 14"        | 30"                     | 16"        | 103k          | 93k           |  |  |  |
|  | 24"                     | 36"         | 14"        | 36"                     | 16"        | 118k          | 100k          |  |  |  |
|  | 30"                     | 42"         | 16"        | 42"                     | 16"        | 128k          | 115k          |  |  |  |
|  | 36"                     | 48"         | 16"        | 48"                     | 16"        | 135k          | 125k          |  |  |  |
|  | 42"                     | 54"         | 16"        | 54"                     | 16"        | 140k          | 130k          |  |  |  |
| Jumbo-Burner See Through with controls   |                         |             |            | MINIMUM FIRE            |            |               | .501          |  |  |  |
| (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,<br>MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)                    | SIZE                    | FRONT WIDTH | DEPTH      | BACK WIDTH              | HEIGHT     | BTU RATING NG | BTU RATING LP |  |  |  |
| MINITED TO LET , WITHERITY ET , ETO TY L   | 24"                     | 36"         | 26"        | 36"                     | 30"        | 103k          | 95k           |  |  |  |
| ( <del>1 11 1</del> 1°   | 30"                     | 42"         | 26"        | 42"                     | 30"        | 112k          | 110k          |  |  |  |
|  | 36"                     | 48"         | 26"        | 48"                     | 30"        | 165k          | 155k          |  |  |  |
|  | 42"                     | 54"         | 26"        | 54"                     | 30"        | 185k          | 170k          |  |  |  |
|  | 42<br>48"               | 60"         | 26"        | 60"                     | 30"        | 210k          | 195k          |  |  |  |
|  | 60"                     | 72"         | 26"        | 72"                     | 30"        | 250k          | 235k          |  |  |  |
| 7  | 00                      | 14          | 20         | , _                     | 30         | 200K          | 200K          |  |  |  |





LAVA VENTED FRONT VIEW BURNER - This one-of-a-kind masterpiece gives the look and the feel of the log on fire; because it is! Each log is individually orificed and ported allowing the fuel to flow out of the log presenting the most realistic gas log set on the market. The revolutionary technology present ultra-realistic style and design to the traditional gas log set. GlowFire™ Log Technology also allows for increased efficiency by using less BTU's and creating a fuller more robust flame effect. The ceramic refractory logs radiate more heat out into the room compared to a traditional concrete gas log set. Available in 4 convenient sizes, gas specific construction, and available with either On/Off or variable flame electronic controls. The Lava Burner series and GlowFire™ Log Technology has created a platform for endless log style and future configuration development.

| LAVA VENTED FRONT VIEW BURNER   | MODEL#      | 18"    | 24"    | 30"    | 36"    |
|---|-------------|--------|--------|--------|--------|
| LAVA FRONT VIEW NATURAL GAS ELECTRONIC IGNITION BURNER (EN)           | LAFV-##-EN  | \$1619 | \$1685 | \$1759 | \$1975 |
| LAVA FRONT VIEW PROPANE ELECTRONIC IGNITION BURNER (EP)               | LAFV-##-EP  | \$1619 | \$1685 | \$1759 | \$1975 |
| LAVA FRONT VIEW NATURAL GAS VARIABLE ELECTRONIC IGNITION BURNER (VEN) | LAFV-##-VEN | \$1959 | \$2029 | \$2099 | \$2315 |
| LAVA FRONT VIEW PROPANE VARIABLE ELECTRONIC IGNITION BURNER (VEP)     | LAFV-##-VEP | \$2075 | \$2145 | \$2215 | \$2430 |
| GLOWFIRE™ ARIZONA WEATHERED OAK CHARRED LOGS                          | GFWOC-##    | \$659  | \$769  | \$1099 | \$1299 |

Includes Burner, Lava Rock, Black Embers, Flex Line, Damper Clamp, Manual, and Rating Plate.

EN/EP = ON/OFF Dexen Controls

VEN/VEP = Variable SIT Proflame 1 controls



### BEDROCK SERIES



BEDROCK TRADITIONAL - The Traditional featuring NEW GlowFire™ Log Technology, The first-of-its-kind on the open face fireplace integrates the burner tubes inside the actual logs, giving the look and feel of the log on fire. GlowFire™ Logs are specifically designed to bring more fuel efficiencies to the gas log market by consuming less fuel while still creating a fuller

more robust flame compared to a traditional gas log set. The ceramic log mixture radiates more heat out into the room while also creating less flame infringement drastically reducing sooting. \*Must add lava rock or 1/2" reflective glass and GlowFire™ Logs.

| TRADITIONAL   | MODEL#     | 48"    | 60"    | 72"    |
|---|------------|--------|--------|--------|
| BEDROCK TRADITIONAL DROP-IN BURNER NATURAL GAS FEATURING GLOWFIRE™ LOGS (EN)* | LDBT##L-EN | \$2005 | \$2205 | \$2495 |
| BEDROCK TRADITIONAL DROP-IN BURNER PROPANE FEATURING GLOWFIRE™ LOGS (EP)*     | LDBT##L-EP | \$2250 | \$2465 | \$2845 |
| WESTERN DRIFTWOOD BEDROCK TRADITIONAL GLOWFIRE™ LOGS                          | LDBT-DW##  | \$1026 | \$1389 | \$1489 |

\*Must add logs. Includes Deck, Base, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual, Flex line and Fittings.



#### BEDROCK CONTEMPORARY LINEAR DROP-IN BURNER -

Drop-in Burner is specifically designed to fit any trough style masonry fireplace or contemporary designed wood burning fireplace. Operated with an SIT Proflame II control system including convenient flame modulation on a sleek hand held remote. The Bedrock Burner is also the **FIRST** vented Drop-in

burner system featuring IC controlled LED lighting that operates with a remote or easy to use App.

\*Must add lava rock or 1/2 reflective glass. Cannonballs and Driftwood logs optional.

| AND | CONTEMPORARY                       | MODEL#    | 24"    | 36"    | 48"    | 60"    | 72"    | 84"    | 96"    |
|-----|------------------------------------|-----------|--------|--------|--------|--------|--------|--------|--------|
| 1   | LINEAR DROP-IN BURNER & CASE (NG)* | LDB##L-EN | \$2669 | \$2836 | \$3036 | \$3258 | \$3448 | \$3626 | \$3826 |
|     | LINEAR DROP-IN BURNER & CASE (LP)* | LDB##L-EP | \$2725 | \$2892 | \$3092 | \$3314 | \$3504 | \$3682 | \$3882 |

Includes Case, Burner, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual, Flex line and fittings.



#### **BEDROCK II VENTLESS LINEAR DROP-IN BURNER -**

Operated with an SIT Proflame II control system including convenient flame modulation on a sleek hand held remote. The Ventless Bedrock Burner is also the **LARGEST** ventless Drop-in Burner system at 60" featuring IC controlled LED lighting that operates with a remote or easy to use App.

Available in 4 convenient sizes, install indoors or under a covered patio & add 1/2" reflective glass to finish off. Use glass media only. \*Must add 1/2" reflective glass.

| VENTLESS   | MODEL#      | 24"    | 36"    | 48"    | 60"    |  |
|--|-------------|--------|--------|--------|--------|--|
| BEDROCK II VENTLESS LINEAR DROP-IN<br>BURNER & CASE NATURAL GAS* | VFLDB##L-EN | \$2669 | \$2836 | \$3036 | \$3258 |  |
| BEDROCK II VENTLESS LINEAR DROP-IN<br>BURNER & CASE PROPANE*     | VFLDB##L-EP | \$2725 | \$2892 | \$3092 | \$3314 |  |

Includes Case, Burner, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual, Flex line and Fittings.



### SELECT YOUR INDOOR/OUTDOOR LOGS



\*NEW ITEM \*\*##=SIZE

**VENTED LOGS** - All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete, ceramic refractory, and stainless steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

| VENTED GAS LOG SET CO                | MPATIBILITY  | MODEL#   | 18"  | 21"   | 24"  | 30"   | 36"  | 42"   | 48"   | 60"   |
|--------------------------------------|--|--|--|---|--|---|--|---|---|---|
| ARIZONA WEATHERED OAK (AWO)          | 2 & 3  | AWO##LOGS  | <b>\$271</b> 36#/1   | <b>\$340</b><br>44#/1   | <b>\$469</b> 63#/1   | <b>\$670</b> 103#/1   |  |   |   |   |
| ARIZONA JUNIPER (AJ)                 | 2 & 3  | AJ##LOGS   | <b>\$333</b> 35#/1   | <b>\$395</b><br>43#/1   | <b>\$526</b> 56#/1   | <b>\$727</b> 105#/1   |  |   |   |   |
| QUAKING ASPEN (ASPEN)                | 2 & 3  | ASPEN##LOGS  | <b>\$333</b><br>35#/1  |   | <b>\$526</b> 43#/1   | <b>\$727</b> 120#/1   |  |   |   |   |
| ARIZONA WEATHERED OAK CHARRED (AWOC) | 2 & 3  | AWOC##LOGS   | <b>\$395</b><br>45#/1  |   | <b>\$533</b> 72#/1   | <b>\$771</b> 115#/1   |  |   |   |   |
| WESTERN DRIFTWOOD (DRIFTWOOD)        | 2 & 3  | ORIFTWOOD##LOGS  | <b>\$333</b><br>35#/1  | <b>\$395</b><br>43#/1   | <b>\$526</b><br>56#/1  | <b>\$727</b> 105#/2   |  |   |   |   |
|                                      | ARIZONA WEATHERED OAK (AWO)  ARIZONA JUNIPER (AJ)  QUAKING ASPEN (ASPEN)  ARIZONA WEATHERED OAK CHARRED (AWOC) | ARIZONA WEATHERED OAK (AWO) 2 & 3  ARIZONA JUNIPER (AJ) 2 & 3  QUAKING ASPEN (ASPEN) 2 & 3  ARIZONA WEATHERED OAK CHARRED (AWOC) 2 & 3 | ARIZONA WEATHERED OAK (AWO)  2 & 3  AWO##LOGS  ARIZONA JUNIPER (AJ)  2 & 3  AJ##LOGS  QUAKING ASPEN (ASPEN)  2 & 3  ASPEN##LOGS  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  AWOC##LOGS | ARIZONA WEATHERED OAK (AWO)  2 & 3  AWO##LOGS \$271 36#/1  ARIZONA JUNIPER (AJ)  2 & 3  AJ##LOGS \$333 35#/1  QUAKING ASPEN (ASPEN)  2 & 3  ASPEN##LOGS \$333 35#/1  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  AWOC##LOGS \$333 45#/1  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  AWOC##LOGS \$333 45#/1 | ARIZONA WEATHERED OAK (AWO)  2 & 3 AWO##LOGS \$271 \$340 44#/1  ARIZONA JUNIPER (AJ)  2 & 3 AJ##LOGS \$333 \$395 43#/1  QUAKING ASPEN (ASPEN)  2 & 3 ASPEN##LOGS \$333 \$395 43#/1  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3 AWOC##LOGS \$395 45#/1  WESTERN DRIFTWOOD (DRIFTWOOD)  2 & 3 DRIFTWOOD##LOGS \$333 \$395 | ARIZONA WEATHERED OAK (AWO)  2 & 3  AWO##LOGS \$271 \$340 \$469 \$3#/1  ARIZONA JUNIPER (AJ)  2 & 3  AJ##LOGS \$333 \$395 \$526 \$35#/1  QUAKING ASPEN (ASPEN)  2 & 3  ASPEN##LOGS \$333 \$395 \$526 \$43#/1  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  AWOC##LOGS \$395 \$533  X526 \$43#/1  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  AWOC##LOGS \$333 \$395 \$533  X526 \$372#/1 | ARIZONA WEATHERED OAK (AWO)  2 & 3  AWO##LOGS  \$271 \$340 \$469 \$670 103#/1  ARIZONA JUNIPER (AJ)  2 & 3  AJ##LOGS  \$333 \$395 \$526 \$727 105#/1  QUAKING ASPEN (ASPEN)  2 & 3  ASPEN##LOGS  \$333 \$395 \$526 \$727 105#/1  QUAKING ASPEN (ASPEN)  2 & 3  ASPEN##LOGS  \$333 \$395 \$526 \$727 105#/1  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  AWOC##LOGS  \$395 \$717 120#/1  ### ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  AWOC##LOGS  \$333 \$395 \$533 \$771 115#/1  #### ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  ARIZONA WEATHERED OAK CHARRED (AWOC)  3 ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  ARIZONA WEATHERED OAK CHARRED (AWOC)  3 ARIZONA WEATHERED OAK CHARRED (AWOC)  3 ARIZONA WEATHERED OAK CHARRED (AWOC)  4 A#// 1 103#/1  103#/1  105#/1 | ARIZONA WEATHERED OAK (AWO)  2 & 3  AWO##LOGS  \$271 \$340 \$469 \$670 \$864 \$124#/2 \$10 \$38 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 | ARIZONA WEATHERED OAK (AWO)  2 & 3  AWO##LOGS \$271 \$340 \$469 \$670 \$864 \$1139 \$185#/2  ARIZONA JUNIPER (AJ)  2 & 3  AJ##LOGS \$333 \$395 \$526 \$727 \$921 \$1195 \$125#/2  QUAKING ASPEN (ASPEN)  2 & 3  ASPEN##LOGS \$333 \$35#/1 \$340 \$44#/1 \$103#/1 \$103#/1 \$125#/2 \$10#/2  QUAKING ASPEN (ASPEN)  2 & 3  ASPEN##LOGS \$333 \$35#/1 \$526 \$727 \$921 \$1195 | ARIZONA WEATHERED OAK (AWO)  2 & 3  AWO##LOGS  \$271 \$340 \$469 \$670 \$864 \$1139 \$1413 \$36#/1 \$44#/1 \$63#/1 \$124#/2 \$185#/2 \$205#/2  ARIZONA JUNIPER (AJ)  2 & 3  AJ##LOGS  \$333 \$395 \$526 \$727 \$921 \$1195 \$125#/2 \$210#/2  QUAKING ASPEN (ASPEN)  2 & 3  ASPEN##LOGS  \$333 \$35#/1 \$526 \$727 \$921 \$1195 \$1475* \$125#/2 \$210#/2  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  AWOC##LOGS  \$395 \$526 \$727 \$921 \$1195* \$1475* \$125#/2 \$210#/2  WESTERN DRIFTWOOD (DRIFTWOOD)  2 & 3  ARIZONA WEATHERED OAK CHARRED (AWOC)  2 & 3  ARIZONO \$395 \$526 \$727 \$921 \$1195* \$1475* \$125#/2 \$210#/2 \$225#/2  WESTERN DRIFTWOOD (DRIFTWOOD)  2 & 3  ARIZONO \$395 \$395 \$526 \$727 \$927 \$1200 \$205#/2  \$43#/1 \$15#/1 \$15#/1 \$16#/2 \$205#/2 |

# SELECT YOUR BURNER





**VENTED BURNERS** - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems.

| INDOOR VENTED BURNERS SET        | MODEL#  | 18"                 | 21"                 | 24"                  | 30"              | 36"              | 42"                 | 48"                    | 60"                    |
|----------------------------------|---------|---------------------|---------------------|----------------------|------------------|------------------|---------------------|------------------------|------------------------|
| GRAND CANYON 2-BURNER            | 2BRN-## | <b>\$339</b><br>30# | <b>\$396</b><br>35# | <b>\$428</b><br>45#  | <b>\$483</b> 50# | <b>\$668</b> 55# | <b>\$813</b><br>60# | <b>\$1275</b> *<br>75# | \$1 <b>460*</b><br>85# |
| GRAND CANYON 3-BURNER            | 3BRN-## | <b>\$550</b><br>33# | \$ <b>608</b> 38#   | \$ <b>635</b><br>48# | <b>\$696</b> 53# | <b>\$879</b> 58# | <b>\$1024</b> 63#   |                        |                        |
| *I laight profile of a 2 hourner |         |                     |                     |                      |                  |                  | - 1                 |                        | adudad                 |

\*Height profile of a 3-burner. Logs not included

| OUTDOOR VENTED BURNERS SET | MODEL#     | 18"                 | 21"              | 24"                 | 30"               | 36"               | 42"               | 48"                  | 60"                  |
|----------------------------|------------|---------------------|------------------|---------------------|-------------------|-------------------|-------------------|----------------------|----------------------|
| GRAND CANYON 2-BURNER      | 2BRN-##-SS | <b>\$607</b><br>30# | <b>\$706</b> 35# | <b>\$761</b><br>45# | <b>\$847</b> 50#  | <b>\$1157</b> 55# | <b>\$1399</b> 60# | <b>\$2028</b><br>75# | <b>\$2635</b><br>85# |
| GRAND CANYON 3-BURNER      | 3BRN-##-SS | <b>\$847</b><br>33# | <b>\$976</b> 38# | \$1130<br>48#       | <b>\$1223</b> 53# | \$1487<br>58#     | <b>\$1572</b> 63# |                      |                      |

\*##=SIZE Logs not included



Price Guide effective April 01, 2024

weight/boxes

### **SELECT YOUR ASSEMBLED BURNER**





2 Burner (2BRN-24-NG-SP)

3 Burner (3BRN-24-NG-MVKEI-GCRK)

ASSEMBLED INDOOR 2 AND 3 BURNERS - Assembled burner systems feature factory tested and installed control systems. Tested to the ANSI standard, these assembled systems are a plug and play approach. Indoor use ONLY, ceramic coated chassis with metal bar stock burner tubes all welded together. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, flex line, damper clamp, and vermiculite (LP ONLY).

| ASSEMBLED INDOOR 2-BURNER SERIES MODEL#  | 18"    | 21"    | 24"    | 30"    | 36"    | 42"    | 48"    | 60"    |
|--|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>2BRN-##-NG-SP</b> Assembled 2 burner natural gas with safety pilot system.                          | \$534  | \$592  | \$623  | \$678  | \$862  | \$1005 | \$1462 | \$1646 |
| <b>2BRN-##-NG-MVK-GCRK</b> Assembled 2 burner natural gas with millivolt and remote system.            | \$938  | \$995  | \$1026 | \$1081 | \$1264 | \$1408 | \$1865 | \$2048 |
| <b>2BRN-##-NG-MMVR</b> Assembled 2 burner natural gas with modulating millivolt and remote system.     | \$1046 | \$1103 | \$1134 | \$1189 | \$1372 | \$1516 | \$1973 | \$2156 |
| <b>2BRN-##-NG-MVKEI-GCRK</b> Assembled 2 burner natural gas with battery electronic and remote system. | \$1255 | \$1312 | \$1343 | \$1398 | \$1581 | \$1725 | \$2182 | \$2365 |
| <b>2BRN-##-LP-SP</b> Assembled 2 burner propane with safety pilot system.                              | \$590  | \$648  | \$679  | \$734  | \$917  | \$1060 | \$1518 | \$1701 |
| <b>2BRN-##-LP-MVK-GCRK</b> Assembled 2 burner propane with millivolt and remote system.                | \$1016 | \$1074 | \$1104 | \$1159 | \$1342 | \$1486 | \$1943 | \$2126 |
| <b>2BRN-##-LP-MMVR</b> Assembled 2 burner propane with modulating millivolt remote.                    | \$1101 | \$1159 | \$1190 | \$1244 | \$1427 | \$1571 | \$2028 | \$2212 |
| <b>2BRN-##-LP-MVKEI-GCRK</b> Assembled 2 burner propane with battery electronic and remote system.     | \$1334 | \$1391 | \$1422 | \$1477 | \$1660 | \$1804 | \$2261 | \$2444 |

Logs not included

| ASSEMBLED INDOOR 3-BURNER SERIES MODEL#  | 18"    | 21"    | 24"    | 30"    | 36"    | 42"    |
|--|--------|--------|--------|--------|--------|--------|
| <b>3BRN-##-NG-SP</b> Assembled 3 burner natural gas with safety pilot system.                          | \$743  | \$802  | \$828  | \$1141 | \$1324 | \$1468 |
| <b>3BRN-##-NG-MVK-GCRK</b> Assembled 3 burner natural gas with millivolt and remote system.            | \$1147 | \$1205 | \$1231 | \$1506 | \$1688 | \$1832 |
| <b>3BRN-##-NG-MMVR</b> Assembled 3 burner natural gas with modulating millivolt and remote system.     | \$1255 | \$1313 | \$1339 | \$1399 | \$1581 | \$1725 |
| <b>3BRN-##-NG-MVKEI-GCRK</b> Assembled 3 burner natural gas with battery electronic and remote system. | \$1463 | \$1522 | \$1548 | \$1607 | \$1790 | \$1934 |
| <b>3BRN-##-LP-SP</b> Assembled 3 burner propane with safety pilot system.                              | \$799  | \$857  | \$883  | \$944  | \$1126 | \$1269 |
| <b>3BRN-##-LP-MVK-GCRK</b> Assembled 3 burner propane with millivolt and remote system.                | \$1225 | \$1283 | \$1309 | \$1369 | \$1551 | \$1695 |
| <b>3BRN-##-LP-MMVR</b> Assembled 3 burner propane with modulating millivolt remote.                    | \$1310 | \$1369 | \$1395 | \$1454 | \$1636 | \$1780 |
| <b>3BRN-##-LP-MVKEI-GCRK</b> Assembled 3 burner propane with battery electronic and remote system.     | \$1543 | \$1601 | \$1627 | \$1687 | \$1869 | \$2013 |

\*##=SIZE Logs not included



# **SELECT YOUR SEE THROUGH LOG SET**



**VENTED SEE THROUGH INDOOR/OUTDOOR LOGS** - All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete, ceramic refractory, and stainless-steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

| SEE THROUGH LOG SETS                     | BURNER<br>COMPATIBILITY | MODEL#           | 18"                  | 24"                     | 30"                   | 36" | 42"                      | 48" | 60" |
|--|-------------------------|------------------|----------------------|-------------------------|-----------------------|-----|--------------------------|-----|-----|
| ARIZONA WEATHERED OAK (AWOST             | ) 2,3                   | AWOST##LOGS      | <b>\$340</b> 38#/1/7 | <b>\$533</b> 71#/1/8    | <b>\$733</b> 115#/1/9 |     | <b>\$1313</b> 196#/2/13  |     |     |
| WESTERN DRIFTWOOD (DRIFTWOOD             | OST) 2,3 D              | RIFTWOODST##LOGS | <b>\$395</b> 33#/1/7 | <b>\$595</b><br>80#/1/8 | <b>\$794</b> 113#/1/9 |     | <b>\$1288</b> 241#/2/12  |     |     |
| QUAKING ASPEN (ASPENST)                  | 2,3                     | ASPENST##LOGS    | <b>\$395</b> 33#/1/7 | <b>\$595</b> 80#/1/8    | <b>\$817</b> 113#/1/9 |     | <b>\$1313*</b> 245#/2/13 |     |     |
| ARIZONA JUNIPER (AJST)                   | 2,3                     | AJST##LOGS       | <b>\$395</b> 33#/1/7 | <b>\$595</b><br>80#/1/8 | <b>\$794</b> 113#/1/9 |     | <b>\$1288</b> 241#/2/12  |     |     |
| ARIZONA WEATHERED OAK CHARRE<br>(AWOCST) | D 2,3                   | AWOCST##LOGS     | <b>\$395</b> 33#/1/8 | <b>\$595</b><br>80#/1/8 | <b>\$833</b> 113#/1/9 |     | <b>\$1345</b> 241#/2/12  |     |     |

\*NEW ITEM \*\*##=SIZE

weight/boxes/log number in set

### SELECT YOUR SEE THROUGH BURNER



- Stainless Steel (2BRN-ST24-SS)



3 Burner - See Through (3BRN-ST24)



- Stainless Steel (3BRN-ST24-SS)

**SEE THROUGH BURNERS** - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal bar stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems page.

| SEE THROUGH BURNERS  | MODEL#    | 18"              | 24"                  | 30"                  | 36"               | 42"                  | 48"                    | 60"                   |
|----------------------|-----------|------------------|----------------------|----------------------|-------------------|----------------------|------------------------|-----------------------|
| SEE THROUGH 2-BURNER | 2BRN-ST## | <b>\$661</b> 30# | <b>\$780</b><br>45#  | <b>\$852</b> 50#     | <b>\$1062</b> 55# | <b>\$1273</b> 60#    | <b>\$1791</b> *<br>75# | <b>\$2192*</b><br>85# |
| SEE THROUGH 3-BURNER | 3BRN-ST## | <b>\$984</b> 33# | <b>\$1130</b><br>48# | <b>\$1295</b><br>53# | <b>\$1691</b> 58# | <b>\$1974</b><br>63# |                        |                       |

 $^{\star}2$  burner system, middle & elevated back burner w/height of the 3 burner

Logs not included

| SEE THROUGH STAINLESS STEEL BURNERS  | MODEL#       | 18"               | 24"                  | 30"               | 36"               | 42"                  | 48"                  | 60"               |
|--------------------------------------|--------------|-------------------|----------------------|-------------------|-------------------|----------------------|----------------------|-------------------|
| SEE THROUGH STAINLESS STEEL 2-BURNER | 2BRN-ST##-SS | <b>\$1174</b> 30# | <b>\$1386</b><br>45# | <b>\$1512</b> 50# | <b>\$1887</b> 55# | <b>\$2258</b><br>60# | <b>\$2548</b><br>75# | <b>\$3101</b> 90# |
| SEE THROUGH STAINLESS STEEL 3-BURNER | 3BRN-ST##-SS | <b>\$1413</b> 33# | <b>\$1875</b><br>48# | <b>\$2047</b> 53# | <b>\$2502</b> 58# | <b>\$2615</b> 63#    |                      |                   |

Note: Stainless Steel See Through Burners are special order, 2-3 weeks lead time. \*\*##=SIZE

Logs not included



## **SELECT YOUR SEE THROUGH ASSEMBLED BURNER**





3 Burner (3BRN-ST24-NG-MVKEI-GCRK)

ASSEMBLED INDOOR 2 AND 3 BURNER SEE THROUGH SYSTEMS - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal bar stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems.

| ASSEMBLED SEE THROUGH INDOOR 2-BURNER SERIES MODEL#   | 18"    | 24"    | 30"    | 36"    | 42"    | 48"    | 60"    |
|---|--------|--------|--------|--------|--------|--------|--------|
| 2BRN-ST-##-NG-SP Assembled 2 burner natural gas with safety pilot system.                                 | \$853  | \$972  | \$1044 | \$1252 | \$1460 | \$1973 | \$2371 |
| <b>2BRN-ST-##-NG-MVK-GCRK</b> Assembled 2 burner natural gas with millivolt and remote system.            | \$1257 | \$1374 | \$1446 | \$1654 | \$1863 | \$2376 | \$2773 |
| <b>2BRN-ST##-NG-MMVR</b> Assembled 2 burner natural gas with modulating millivolt and remote system.      | \$1365 | \$1482 | \$1554 | \$1762 | \$1971 | \$2484 | \$2881 |
| <b>2BRN-ST-##-NG-MVKEI-GCRK</b> Assembled 2 burner natural gas with battery electronic and remote system. | \$1574 | \$1692 | \$1763 | \$1971 | \$2180 | \$2693 | \$3090 |
| <b>2BRN-ST-##-LP-SP</b> Assembled 2 burner propane with safety pilot system.                              | \$909  | \$1027 | \$1099 | \$1307 | \$1516 | \$2028 | \$2426 |
| 2BRN-ST-##-LP-MVK-GCRK Assembled 2 burner propane with millivolt and remote system.                       | \$1335 | \$1452 | \$1524 | \$1732 | \$1941 | \$2454 | \$2851 |
| <b>2BRN-ST-##-LP-MMVR</b> Assembled 2 burner propane with modulating millivolt remote.                    | \$1420 | \$1539 | \$1610 | \$1817 | \$2026 | \$2540 | \$2937 |
| <b>2BRN-ST-##-LP-MVKEI-GCRK</b> Assembled 2 burner propane with battery electronic and remote system.     | \$1653 | \$1771 | \$1842 | \$2050 | \$2259 | \$2772 | \$3169 |

<sup>\*2</sup> burner system, middle & elevated back burner w/height of the 3 burner

Logs not included

| ASSEMBLED INDOOR 3-BURNER SERIES MODEL#  | 18"    | 24"    | 30"    | 36"    | 42"    |
|--|--------|--------|--------|--------|--------|
| 3BRN-ST-##-NG-SP Assembled 3 burner natural gas with safety pilot system.                          | \$1174 | \$1318 | \$1736 | \$2128 | \$2409 |
| 3BRN-ST-##-NG-MVK-GCRK Assembled 3 burner natural gas with millivolt and remote system.            | \$1577 | \$1722 | \$2100 | \$2492 | \$2773 |
| 3BRN-ST-##-NG-MMVR Assembled 3 burner natural gas with modulating millivolt and remote system.     | \$1685 | \$1830 | \$1993 | \$2385 | \$2666 |
| 3BRN-ST-##-NG-MVKEI-GCRK Assembled 3 burner natural gas with battery electronic and remote system. | \$1894 | \$2039 | \$2202 | \$2594 | \$2875 |
| <b>3BRN-ST-##-LP-SP</b> Assembled 3 burner propane with safety pilot system.                       | \$1230 | \$1374 | \$1539 | \$1931 | \$2210 |
| 3BRN-ST-##-LP-MVK-GCRK Assembled 3 burner propane with millivolt and remote system.                | \$1655 | \$1800 | \$1963 | \$2355 | \$2636 |
| <b>3BRN-ST-##-LP-MMVR</b> Assembled 3 burner propane with modulating millivolt remote.             | \$1740 | \$1885 | \$2049 | \$2441 | \$2722 |
| 3BRN-ST-##-LP-MVKEI-GCRK  Assembled 3 burner propane with battery electronic and remote system.    | \$1973 | \$2118 | \$2281 | \$2673 | \$2954 |

\*##=SIZE Logs not included



### **SELECT YOUR JUMBO/JUMBO SLIMLINE**



**VENTED JUMBO LOG SETS** - Indoor/Outdoor Logs, All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete with a ceramic refractory and Stainless-Steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

| VENTED FRONT VIEW JUMBO LOG SETS | MODEL#             | 24"                   | 30" | 36"                        | 42" | 48"                     | 60" | 72" | 84" | 96"                    | 108" | 120" |
|----------------------------------|--------------------|-----------------------|-----|----------------------------|-----|-------------------------|-----|-----|-----|------------------------|------|------|
| ARIZONA WEATHERED OAK JUMBO*     | JUMBOAWO##LOGS     |                       |     | <b>\$1427</b> 225#/3/11    |     | <b>\$2120</b> 355#/3/15 |     |     |     |                        |      |      |
| AZ WEATHERED OAK CHARRED JUMBO*  | JUMBOAWOC##LOGS    |                       |     |                            |     |                         |     |     |     | <b>\$5464</b> 710#/6/0 |      |      |
| AZ WEATHERED OAK JUMBO SLIM**    | JUMBOSLIMAWO##LOGS | <b>\$789</b> 115#/3/8 |     | <b>\$1433</b><br>190#/3/11 |     |                         |     |     |     |                        |      |      |
| #Ob. 01   d b ##Ob. 10   d b     |                    |                       |     |                            |     |                         |     |     |     |                        |      |      |

\*Only 21" deep burners. \*\*Only 18" deep burners.

weight/boxes/log number in set

JUMBO SEE THROUGH LOG SET MODEL# 24" 30" 36" 42" 48" 60" 72" 84" 120"

\*AZ WEATHERED OAK JUMBO SEE THROUGH JUMBOAWOST##LOGS \$1171 \$1301 \$1562 \$2070 \$2271 \$2771 \$4176 \$4324 \$6821 \$150#/3/10 \$150#/3/1

\*Only 24" deep burners.

weight/boxes/log number in set

## **SELECT YOUR JUMBO/JUMBO SLIMLINE BURNER**







**JUMBO SERIES BURNERS** - Ceramic coated chassis w/metal bar stock and burner tubes all welded together. Available w/JUMBO/JUMBOSLIM AWO Logs ONLY. Fits Isokern Magnum Series 18" Deep Burner. Burners denoted - "-SS" are for outdoor use. All burners include lava rock, fittings, flex line, embers, and damper clamp. **ALL Burners NG**.

| VENTED FRONT VIEW JUMBO BUI               | RNERS MODE  | L#       | 24"               | 30"                  | 36"                  | 42"                  | 48"                   | 60"                   | 72"                    | 84"                    | 96"                   | 108"                   | 120"               |
|---|---|----------|-------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|------------------------|------------------------|-----------------------|------------------------|--------------------|
| JUMBO FRONT VIEW BURNER                   | JUMBOBR   | NR-##    |                   |                      | <b>\$2799</b><br>95# | \$3090<br>110#       | \$3378<br>130#        | \$3894<br>160#        | \$ <b>5492</b><br>190# | \$ <b>6186</b><br>230# | <b>\$7143</b> 250#    | \$ <b>7695</b><br>280# | <b>\$8522</b> 280# |
| JUMBO SLIMLINE BURNER                     | JUMBOSLIM   | BRNR-##  | <b>\$1830</b> 55# | <b>\$2054</b><br>65# | <b>\$2508</b> 75#    | <b>\$2746</b><br>90# | <b>\$3063</b><br>110# | \$3506<br>140#        | <b>\$5492</b><br>170#  |                        |                       |                        |                    |
| *Sizes 72"+ special order burner, 3-4 wee | *Sizes 72"+ special order burner, 3-4 weeks lead time.  Logs not included |          |                   |                      |                      |                      |                       |                       |                        |                        |                       |                        |                    |
| FRONT VIEW JUMBO STAINLES                 | S STEEL BURI  | NERS MO  | DDEL#             |                      | 24"                  | 30"                  | 36"                   | 42"                   | 48"                    | 60"                    | 72"                   | 84"                    | 120"               |
| JUMBO BURNER STAINLESS STEEL              |   | JUMBO    | BRNR-#            | #-SS                 |                      |                      | <b>\$4311</b><br>95#  | <b>\$4719</b><br>110# | <b>\$5186</b> 130#     | \$ <b>5960</b><br>160# | \$7742                | \$8264                 | \$13185            |
| JUMBO SLIMLINE BURNER STAINLE             | SS STEEL*   | JUMBOSLI | MBRNR             | -##-SS               | <b>\$3018</b><br>55# | \$3360<br>65#        | <b>\$4152</b> 75#     | <b>\$4574</b><br>90#  | <b>\$5043</b><br>110#  | <b>\$5770</b> 140#     |                       |                        |                    |
| *Fits Isokern Magnum Series 18" Deep E    | Burner.   |          |                   |                      |                      |                      |                       |                       |                        |                        | Lo                    | gs not in              | cluded             |
| SEE THROUGH JUMBO BURNER                  | RS  | МС       | DEL#              |                      | 24"                  | 30"                  | 36"                   | 42"                   | 48"                    | 60"                    | 72"                   | 84"                    | 120"               |
| JUMBO SEE THROUGH BURNER                  | 2   | JUMBOE   | BRNR-S            | ST##                 | <b>\$3063</b> 55#    | <b>\$3776</b><br>65# | <b>\$4806</b> 75#     | <b>\$5333</b><br>90#  | <b>\$6066</b><br>110#  | <b>\$6731</b> 140#     | <b>\$7691</b><br>165# | <b>\$8759</b><br>180#  | \$13423<br>200#    |
| JUMBO SEE THROUGH BURNER STA              | AINLESS STEEL   | JUMBOBF  | RNR-ST#           | ##-SS                |                      |                      | \$7954                | \$8851                | \$10058                | \$10622                |                       |                        |                    |
|   |   |          |                   |                      |                      |                      |                       |                       |                        |                        |                       |                        |                    |



Fits Isokern Magnum Series 24" Deep Burner. Stainless Steel See Through Burners are special order, 3-4 weeks lead time.

Price Guide effective April 01, 2024

Logs not included

### **VENTED CONTEMPORARY**



**CANNONBALLS** - Available in size 2", 4", and 6". These replica sizes can be installed indoor or outdoor for endless viewing pleasure. These can be paired with the Grand Canyon Gas Logs Glass Burner or H Burner then nestled in a bed of lava granules or crushed reflective glass. Stacking choices are as unique as each piece of history when choosing to stack in a uniform pattern or use all three sizes to create a random unique style.

| CANNONBALLS    | MODEL#    | PRICE     | 18" | 24" | 30" | 36" | 42" | 48" | 60" |
|----------------|-----------|-----------|-----|-----|-----|-----|-----|-----|-----|
| 2" CANNONBALLS | CB2-12-## | \$111/set | 4   | 5   | 7   | 8   | 9   | 10  | 13  |
| 4" CANNONBALLS | CB4-8-##  | \$166/set | 3   | 4   | 5   | 6   | 6   | 8   | 10  |
| 6" CANNONBALLS | CB6-4-##  | \$222/set | 4   | 5   | 6   | 7   | 9   | 10  | 12  |

##= COLOR (B) BLACK; (GRY) GRAY; (WHT) WHITE

SETS: 3 ROWS DEEP/2 ROWS HIGH

| LINEAR LOGS                    | MODEL#              |       | 24"                  | 36"                  | 48"                     | 60"   | 72"   | 84"    | 96"                       | 108"   | 120"                       |
|--------------------------------|---------------------|-------|----------------------|----------------------|-------------------------|-------|-------|--------|---------------------------|--------|----------------------------|
| LINEAR WESTERN DRIFTWOOD       | WD-LINEAR-##LOGS    |       | <b>\$227</b> 24#/1/6 | <b>\$313</b> 32#/1/8 | <b>\$446</b><br>41#/1/9 |       |       |        | <b>\$1058</b><br>85#/2/18 |        | <b>\$1389</b><br>102#/2/24 |
| GLASS BURNERS (INDOOR/OUTDOO   | R) MODEL#           | 18"   | 24"                  | 30"                  | 36"                     | 42"   | 48"   | 60"    | 72"                       | 84"    | 96"                        |
| GLASS BURNER - NG              | GLASSBRN-##/12-H    | \$212 | \$220                | \$272                |                         |       |       |        |                           |        |                            |
| GLASS BURNER - H STYLE INDOOR  | GLASSBRN-##/14-H    |       |                      |                      | \$523                   | \$594 | \$860 | \$1104 | \$1374                    | \$1791 |                            |
| GLASS BURNER - H STYLE OUTDOOR | GLASSBRN-##/12-H-SS | \$280 | \$327                | \$677                |                         |       |       |        |                           |        |                            |
| GLASS BURNER - H STYLE OUTDOOR | GLASSBRN-##/14-H-SS |       |                      |                      | \$771                   | \$958 | \$905 | \$1319 | \$2087                    | \$2239 | \$2470                     |

Also choose Lava Granules (HP-B-GR-10) and Glowing Embers (GLE-6B) from page 12 to add to your order or choose glass from page 13.



Linear Western Driftwood (WD-LINEAR-36LOGS)



Glass Burner - Stainless Steel (GLASSBRN-36/14-H-SS)



Glass Burner w/Modulating Millivolt and Remote System - NG (GLASSBRN-30/12-H-NG-MMVR)

### **VENTED CONTEMPORARY - ASSEMBLED**

ASSEMBLED WITH REMOTE SYSTEM ASSEMBLED GLASS BURNERS (INDOOR/OUTDOOR) MODEL# 18" 24" 30" 36" 42" GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/12-H-NG-MVK-GCRK \$812 \$819 \$872 GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/14-H-NG-MVK-GCRK \$1190 \$1121 GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/12-H-LP-MVK-GCRK \$914 \$898 \$974 GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/14-H-LP-MVK-GCRK \$1199 \$1268 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/12-H-NG-MMVR \$920 \$871 \$980 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/14-H-NG-MMVR \$1229 \$1298 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/12-H-LP-MMVR \$976 \$983 \$1035 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/14-H-LP-MMVR \$1284 \$1354 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - NG GLASSBRN-##/12-H-NG-MVKEI-GCRK \$1129 \$960 \$1189 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - NG GLASSBRN-##/14-H-NG-MVKEI-GCRK \$1262 \$1507 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - LP GLASSBRN-##/12-H-LP-MVKEI-GCRK \$1208 \$1040 \$1268 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - LP GLASSBRN-##/14-H-LP-MVKEI-GCRK \$1341 \$1411

Also choose Lava Granules (HP-B-GR-10) and Glowing Embers (GLE-6B) from page 12 to add to your order or choose glass from page 13.



# CONTROLS, TWIGS, AND ACCESSORIES

| ACCESSORIES   | MODEL#  | MSRP  | FEATURES  | BURNER   |
|---|---------|-------|---|--|
| GCRK  | GCRK    | \$169 | Basic On/Off Operations; RF Transmitter<br>& Receiver; LCD Temp Display; Includes<br>Batteries & Wall Plate | MVQMKN/LP;<br>HCMVQMKN/LP;<br>ALL EIS Configurations |
| WBPB-12/24  | WBPB-12 | \$522 | Bluetooth   Wi-Fi & Manual Control;<br>Connect with Home Automation or<br>Weather Smart App; 24V System     | ALL EIS Configurations: WBECS                        |
| 72" PILOT EXTENSION FOR WEATHER BEATER<br>PILOT ASSEMBLY (PILOT NOT INCLUDED) | WB-72EX | \$407 |   | WBECS & HC-WBECS                                     |
| LARGE INSTALLATION KIT FLEX, KEY, FITTING 3/4"                                | KIT-LG  | \$139 |   |  |
| SMALL INSTALLATION KIT FLEX, KEY, FITTING 1/2"                                | KIT-SM  | \$116 |   |  |













AZ JUNIPER TWIG SET (AJTWIG3)

GRANULES (HP-B-GR-10)

VOLCANIC ROCK (HP-B-R-10)

PLATINUM EMBERS (PBE-1)

VERMICULITE (VEM-8)

LAVA PEBBLES (NL-5080)

| TWIG KITS & MEDIA                                     | MODEL#         | LBS.  | MSRP  |
|---|----------------|-------|-------|
| AZ JUNIPER TWIG SET - 3 TWIGS                         | AJTWIG3        | 7     | \$70  |
| QUAKING ASPEN TWIG SET - 4 TWIGS                      | ASPENWIG4      | 8     | \$135 |
| AZ WEATHERED OAK CHARRED TWIG SET - 3 TWIGS           | AWOCTWIG3      | 9     | \$86  |
| ARIZONA WEATHERED OAK TWIG 3 PC SET - 3 TWIGS         | AWOTWIG3       | 9     | \$86  |
| ARIZONA WEATHERED OAK TWIG 5 PC SET - 5 TWIGS         | AWOTWIG5       | 15    | \$174 |
| BLUE PINE SPLIT TWIG SET LOGS ONLY 5 PC SET - 5 TWIGS | BPSTWIG5       | 11    | \$162 |
| DRIFTWOOD TWIG SET - 3 TWIGS                          | DRIFTWOODTWIG3 | 7     | \$70  |
| BLACK GRANULES - 10 LB. BAG                           | HP-B-GR-10     | 10    | \$23  |
| BLACK VOLCANIC ROCK - 10 LB. BAG                      | HP-B-R-10      | 10    | \$23  |
| BLACK GLOWING EMBERS - 6 OZ. BAG                      | GLE-6B         | .10   | \$31  |
| PLATINUM BRIGHT EMBERS - 1 GRAM                       | PBE-1          | .01   | \$19  |
| VERMICULITE - 8 OZ. BAG                               | VEM-8          | .08   | \$13  |
| 1" - 2" LAVA PEBBLES - 50 LB. BAG                     | NL-3050        | 50    | \$147 |
| 2" - 3" LAVA PEBBLES - 50 LB. BAG                     | NL-5080        | 50    | \$147 |
| 1 GRAM BAG GLOWING WIRE                               | GLW-1          | .0022 | \$10  |
| 6 OZ. BAG BLACK VERMICULITE                           | VEM-6          | .375  | \$20  |

Indoor/Outdoor Logs compatible with **ALL** Grand Canyon Gas Logs log sets. Twigs are an easy way to add mass and height to a gas log set. Available in **ALL** log species.

















(RFG-10-PB)

ADRIATIC TOPAZ KRYSTALLO DIAMOND (RFG-10-AT)

(RFG-10-KD)

(RFG-10-VB)

APOLLO BRONZE (RFG-10-AB)

TERRA COPPER (RFG-10-TC)

AMBER DIAMOND (RFG-10-AG)

FIRE GLASS - 1/2" reflective premium fire glass in 10lb. containers.

| GLASS 1/2" CRUSHED REFLECTIVE                 | MODEL#    | LBS | MSRP           | PER TUB |
|---|-----------|-----|----------------|---------|
| 1/2" POSEIDON RFG (COBALT) - 10 LB. BAG       | RFG-10-PB | 10  | \$5.00 PER LB. | \$50.00 |
| 1/2" ADRIATIC TOPAZ RFG (JASPER) - 10 LB. BAG | RFG-10-AT | 10  | \$5.00 PER LB. | \$50.00 |
| 1/2" KRYSTALLO RFG (STARFIRE) - 10 LB. BAG    | RFG-10-KD | 10  | \$5.00 PER LB. | \$50.00 |
| 1/2" VESPER RFG (BLACK) - 10 LB. BAG          | RFG-10-VB | 10  | \$5.00 PER LB. | \$50.00 |
| 1/2" APOLLO RFG (BRONZE) - 10 LB. BAG         | RFG-10-AB | 10  | \$5.00 PER LB. | \$50.00 |
| 1/2" TERRA RFG (COPPER) - 10 LB. BAG          | RFG-10-TC | 10  | \$5.00 PER LB. | \$50.00 |
| 1/2" AMBER DIAMOND RFG (AMBER) - 10 LB. BAG   | RFG-10-AG | 10  | \$5.00 PER LB. | \$50.00 |

Indoor/Outdoor use. Compatible with **ALL** Grand Canyon Gas Logs glass and fire-pit burners. Glass is priced per lb., sold 10 lbs. per order. Calculator found on Grand Canyon Gas Logs website.







SAFETY PILOT KIT (SPQMKLP)

BATTERY ELECTRONIC (MVKEIKLP)

MODULATING MILLIVOLT (MMVKR-LP)

|  |                       |                |          | - (   |                | ,   |
|--|-----------------------|----------------|----------|---|----------------|---|
| DESCRIPTION  | MODEL#                | MSRP           | USE      | FEATURES  | OPTION         | S BURNER CAPABILITY   |
| MANUAL VALVE<br>HIGH CAPACITY MANUAL VALVE                                   | MA<br>MAHC-GC         | \$77<br>\$98   |          | Manual On/Off w/Knob or Wrench Operations<br>ONLY; Low Profile Design;, Max Inlet 14" W.C.,<br>Valve Temp Rating 300°; 90,000 BTU's<br>(NG/LP) - MA; 240,000 BTU's (NG/LP) - MAHO   |                | MA - 2 Burner/Glass/Kiva –<br>18"–42" (NG/LP)<br>3 Burner – 18"-30" (NG/LP)   |
| SAFETY PILOT NATURAL GAS<br>SAFETY PILOT PROPANE                             | SPQMKN<br>SPQMKLP     | \$192<br>\$192 |          | Standing Pilot System; Manual On/Off<br>Operations ONLY; Low Profile Design;<br>Max Inlet 14" W.C.; Valve Temp Rating 300°;<br>(NG) 90,000 BTU's; (LP) 90,000 BTU's   | N/A<br>N/A     | 2 Burner/Glass/Kiva – 18"–30" (NG);<br>18"-42" (LP)<br>3 Burner – 18"-24" (NG); 18"-36" (LP)<br>Jumbo/Jumbo Slimline - N/A (NG); N/A (LP)           |
| HIGH CAPACITY SAFETY PILOT NATURAL GAS<br>HIGH CAPACITY SAFETY PILOT PROPANE | HCSPK-NG<br>HCSPK-LP  | \$432<br>\$453 | ., •     | Standing Pilot System; Manual On/Off Operations<br>ONLY; Max Inlet 14" W.C; Valve Temp Rating 250°<br>(NG) 142,000 BTU's; (LP) 142,000 BTU's  | NI/A           | 2 Burner/Glass/Kiva – 18"–42" (NG); 18"-60" (LP)<br>3 Burner – 18"-42" (NG); 18"-42" (LP)<br>Jumbo/Jumbo Slimline - 24"-30" (NG); 24"-48" (LP)      |
| MILLIVOLT QUICK MOUNT KIT NATURAL GAS MILLIVOLT QUICK MOUNT KIT PROPANE      | MVQMKN<br>MVQMKLP     | \$410<br>\$432 |          | Standing Pilot System; On/Off Operations<br>ONLY; Low Profile Design; Max Inlet 14" W.C.;<br>Valve Temp Rating 175°; (NG) 3"-5" W.C.<br>82,000 BTU's; (LP) 8"-12" W.C. 110,000 BTU's  | Remote<br>GCWS | 2 Burner/Glass/Kiva – 18"–30" (NG); 18"-42" (LP)<br>3 Burner – 18"-24" (NG); 18"-36" (LP)<br>Jumbo/Jumbo Slimline – N/A (NG); 24"-30" (LP)          |
| MODULATION MILLIVOLT KIT NATURAL GAS MODULATION MILLIVOLT KIT PROPANE        | MMVKR-NG<br>MMVKR-LP  | \$683<br>\$683 | IN<br>IN | INCLUDES REMOTE; Standing Pilot System; Variabl Flame Height; Low Profile Design;, Max Inlet 14° W.C.; Valve Temp Rating 225°; (NG) 7° W.C. 120,000 BTU's; (LP) 7'-14° W.C. 120,000 BTU's   | e N/A          | 2 Burner/Glass/Kiva – 18"–42" (NG); 18"-42" (LP)<br>3 Burner – 18"-42" (NG); 18"-42" (LP)<br>Jumbo/Jumbo Slimline – 24"–30" (NG); 24"-30" (LP)      |
| HIGH CAPACITY MILLIVOLT NATURAL GAS<br>HIGH CAPACITY MILLIVOLT PROPANE       | HCMVQMKN<br>HCMVQMKLP | \$617<br>\$672 | IN<br>IN | Standing Pilot System; High Volume Output Millivol<br>System; On/Off Operations ONLY; Max Inlet 14"<br>W.C.; Valve Temp Rating 175°; (NG) 3"-5" W.C.<br>240,000 BTU's; (LP) 8"-12" W.C. 320,000 BTU's                               | Remote<br>GCWS | 2 Burner/Glass/Kiva – 18"–60" (NG); 18"-42" (LP)<br>3 Burner – 18"-42" (NG); 18"-42" (LP)<br>Jumbo/Jumbo Slimline – 24"-108" (NG);<br>24"-120" (LP) |
| BATTERY ELECTRONIC NATURAL GAS<br>BATTERY ELECTRONIC PROPANE                 | MVKEIKN<br>MVKEIKLP   | \$715<br>\$738 |          | INCLUDES REMOTE; Non-Standing Pilot; 2-D Cell Battery Electronic Ignition; Pilot on Deman System; On/Off Operations ONLY; Max Inlet 14" W.C., Valve Temp Rating 175°; (NG) 3"-7" W.C. 120,000 BTU's; (LP) 8"-14" W.C. 140,000 BTU's | 4 GCWS         | 2 Burner/Glass/Kiva – 18"-60" (NG);<br>18"-60" (LP) 3 Burner – 18"-42" (NG);<br>18"-42" (LP) Jumbo/Jumbo Slimline<br>– 24"-30" (NG); 24"-36" (LP)   |



INDOOR/OUTDOOR = I/O; INDOOR = IN; OUTDOOR = OUT



# **CONTROLS & ACCESSORIES (CONT)**



ELECTRONIC IGNITION SYSTEM 200K BTU\* (EIS)



WEATHER BEATER ELECTRONIC CONTROL SYSTEM (WBECS)

| DESCRIPTION  | MODEL#         | MSRP   | USE | FEATURES   | OPTIONS  | BURNER CAPABILITY  |
|--|----------------|--------|-----|--|--|--|
| ELECTRONIC IGNITION SYSTEM 200K BTU*                       | EIS            | \$1190 | IN  |  |  |  |
| ELECTRONIC IGNITION SYSTEM PROPANE 6' PILOT 320K BTU       | EIS-LP         | \$1289 | IN  | Non-Standing Pilot; Pilot on Demand<br>System; 24V Electronic Ignition; On/Off<br>Operations ONLY; In-Wall Design; 6'-10"<br>Pilot Assembly; Max Inlet 14" W.C.; Valve | GCRK<br>(On/Off)<br>Remote<br>GCWS<br>(On/Off) | 2 Burner/Glass/Kiva – 18"–60"<br>(NG); 18"-42" (LP) 3 Burner –<br>18"-42" (NG); 18"-42" (LP) |
| ELECTRONIC IGNITION SYSTEM 200K BTU 10' PILOT*             | EIS-10         | \$1234 | IN  | Temp Rating 175°; (NG) 3"-7" W.C. 200,00<br>BTU's; (LP) 8"-14" W.C. 320,000 BTU's  | (011/011)                                      | Jumbo/Jumbo Slimline -<br>24"-60" (NG); 24"-96" (LP)   |
| ELECTRONIC IGNITION SYSTEM 320K BTU*                       | EIS-LP-10      | \$1289 | IN  | BIOS, (LF) 0 -14 W.C. 320,000 BIOS   | WBPB12/24                                      | 24 00 (110), 24 90 (21)  |
| ELECTRONIC IGNITION SYSTEM NG<br>OUTDOOR 6' PILOT 200K BTU | EIS-OUTDOOR    | \$1289 | OUT |  |  |  |
| ELECTRONIC IGNITION SYSTEM 200K BTU                        | EIS-OUTDOOR-10 | \$1289 | OUT |  |  |  |
| ELECTRONIC IGNITION SYSTEM 320K BTU USE LP                 | EIS-OUTDOOR-LP | \$1289 | OUT |  |  |  |

<sup>\*</sup>Indoor use only. Available in 200K, 350K & 720K option.

Compatible with ALL burner, in-wall system with 6' pilot assembly lead. Valve & components mounted 12 x 12 x 4 metal enclosure. REMOTE OR WALL SWITCH CAN BE ADDED.

| 350K BTU ELECTRONIC IGNITIONS<br>10' PILOT ASSEMBLY LEAD<br>ELECTRONIC IGNITION SYSTEM 350K BTU | EIS-INDOOR-350-10<br>EIS-OUTDOOR-350 | \$1759<br>\$1650 | IN<br>OUT | Non-Standing Pilot; Pilot on Demand System;<br>24V Electronic Ignition; On/Off Operations ONLY;<br>In-Wall Design; 6'-10' Pilot Assembly; Max Inlet<br>14" W.C.; Valve Temp Rating 175°; (NG) 3"-7" W.C.<br>Willswitcl<br>350,000 BTU's; (LP) 8"-14" W.C. 560,000 BTU's<br>WEPB12/2. |   |
|---|--------------------------------------|------------------|-----------|--|---|
| 720K BTU ELECTRONIC IGNITION S<br>6' PILOT ASSEMBLY LEAD  | EIS-INDOOR-720                       | \$2249           | OUT       |  |   |
| WEATHER BEATER ELECTRONIC CONTROL SYSTEM  | WBECS                                | \$1951           |           | Hot Surface Ignition System; Pilot on Demand System; LED Diagnostics; 12V Electronic Ignition; On/Off Operations ONLY; 24" Pilot Assembly; CSA Certified Control System; Max Inlet 14" W.C.; Valve Temp Rating 175"; 265,000 BTU (NG/LP)  WBPB12/2                                   | All Fire-Pits;<br>All Fire-Tables;<br>Outdoor Burners |
| HIGH CAPACITY (500K BTU) WEATHER<br>BEATER ELECTRONIC CONTROL SYSTEM                            | HC-WBECS                             | \$2258           | OUT       | Hot Surface Ignition System; Pilot on Demand System; LED Diagnostics; 12V Electronic Ignition; On/Off Operations ONLY; 24" Pilot Assembly; CSA Certified Control System; Max Inlet 14" W.C.; Valve Temp Rating 175°; 500,000 BTU (NG/LP)   | All Fire-Pits;<br>All Fire-Tables;<br>Outdoor Burners |

INDOOR/OUTDOOR = I/O; INDOOR = IN; OUTDOOR = OUT



### SELECT YOUR VENTLESS LOG SET



**VENTLESS LOGS** - Ventless Systems: All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete with a ceramic refractory and stainless steel fiber mesh. Logs installed indoors carry a lifetime warranty, burners carry a lifetime warranty, valves/remotes carry a 2 year warranty, and ODS carry a 1 year warranty. Indoor logs compatible with Grand Canyon Gas Log "Vulcan" Ventless Burner ONLY.

| VENTLESS GAS LOG SET | MODEL# | 18"                     | 24"                      | 30"                      |
|----------------------|--------|-------------------------|--------------------------|--------------------------|
| WEATHERED OAK (WO)   | VFWO## | <b>\$351</b><br>28#/1/7 | <b>\$414</b><br>40#/1/10 | <b>\$489</b><br>48#/1/10 |
| RED OAK (RO)         | VFRO## | <b>\$351</b><br>28#/1/7 | <b>\$414</b><br>40#/1/10 | <b>\$489</b><br>48#/1/10 |
| SPLIT OAK (SO)       | VFSO## | <b>\$351</b><br>28#/1/7 | <b>\$414</b><br>40#/1/10 | <b>\$489</b><br>48#/1/10 |
| ASPEN BIRCH (AB)     | VFAB## | <b>\$351</b><br>28#/1/7 | <b>\$414</b><br>40#/1/10 | <b>\$489</b><br>48#/1/10 |

Weight/Boxes/Log number in set



NEV







WEATHERED OAK (VFW018)

RED OAK (VFRO24)

SPLIT OAK (VFSO30)

ASPEN BIRCH (VFAB24)

### SELECT YOUR VENTLESS BURNER



**VENTLESS BURNERS** - Ventless Burners come factory mounted with valves, pilots, and ignition system. All Canyon Series Ventless Burners also are factory tested and duel certified to the vented and ventless ANSI standards.

| VENTLESS BURNERS                  | MODEL#        | 18"                    | 24"/30"                |
|-----------------------------------|---------------|------------------------|------------------------|
| MILLIVOLT VENTLESS BURNER         | VFVUL##M(N/P) | <b>\$1051</b><br>25#/1 | <b>\$1141</b><br>28#/1 |
| VARIABLE VENTLESS BURNER          | VFVUL##V(N/P) | <b>\$1148</b><br>25#/1 | <b>\$1211</b><br>28#/1 |
| VARIABLE ELECTRIC VENTLESS BURNER | VFVUL##E(N/P) | <b>\$1409</b> 25#/1    | <b>\$1471</b><br>28#/1 |

Logs Not Included

GRAND CANYON GAS LOGS: LOGS - ALL CANYON SERIES VENTLESS BURNERS COME WITH VALVES, PILOTS, AND IGNITION SYSTEM. ALL CANYON SERIES VENTLESS BURNERS ARE ALSO FACTORY TESTED AND DUAL CERTIFIED TO THE VENTED & VENTLESS ANSI STANDARDS.

| FIREPLA                          | CE FLOOR SIZE FO | R BURNEI | RS WHEI | N CONNE  | CTED TO | GAS LINE IN | FIREPLACE | DIRECTLY      | ,    |  |
|----------------------------------|------------------|----------|---------|----------|---------|-------------|-----------|---------------|------|--|
| FIREPLACE SIZE REQUIREMENT CHART |                  | MIN.     | FIREPLA | CE DIMEN | ISIONS  | BTU'S NAT   | URAL GAS  | BTU'S PROPANE |      |  |
| BURNER SIZE                      | LOG SIZE         | FRONT    | REAR    | DEPTH    | HEIGHT  | LOW         | HIGH      | LOW           | HIGH |  |
| 18"                              | 18"              | 22"      | 20"     | 13"      | 18"     | 26K         | 35K       | 24K           | 32K  |  |
| 24"                              | 24"              | 28"      | 20"     | 14"      | 18"     | 19K         | 37K       | 19K           | 37K  |  |
| 24"                              | 30"              | 34"      | 20"     | 14"      | 18"     | 19K         | 37K       | 19K           | 37K  |  |



# **SELECT YOUR OUTDOOR FIRE PIT KIT**



FIRE PIT STACK SETS – Outdoor Fire Pit use only, Grand Canyon Gas Logs Round Flat, Round Tall, and Tee-Pee Stack offer a plug and play solution for existing and new construction fire pits. Choose your stack style, your gas type, controls, and finally one of 3 different log styles. Build your own enclosure or choose one of our outdoor GFRC Fire Bowls.

| ROUND FLAT STACK KITS                            | MODEL#          | 18"                  | 24"                  | 30"                  | 36"                  | 48"                  |
|--|-----------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| ROUND FLAT STACK (RFS) NG                        | RFS-##-NG       | <b>\$324</b><br>00#  | \$369<br>00#         | <b>\$446</b><br>00#  | <b>\$599</b><br>00#  | <b>\$692</b><br>00#  |
| ROUND FLAT STACK (RFS) LP                        | RFS-##-LP       | <b>\$427</b><br>00#  | <b>\$523</b><br>00#  | <b>\$754</b><br>00#  | <b>\$943</b><br>00#  | <b>\$1334</b><br>00# |
| ROUND FLAT STACK ELECTRONIC START (RFWBECS) NG** | RFS-##-WBECS-NG | <b>\$2359</b><br>00# | <b>\$2455</b><br>00# | <b>\$2687</b><br>00# | <b>\$2944</b><br>00# | <b>\$3266</b><br>00# |
| ROUND FLAT STACK ELECTRONIC START (RFWBECS) LP** | RFS-##-WBECS-LP | <b>\$2359</b><br>00# | <b>\$2455</b><br>00# | <b>\$2687</b><br>00# | <b>\$2944</b><br>00# | <b>\$3266</b><br>00# |

\*Includes Burner, Lava, Key Valve, and Fittings. \*\*All Electronic Ignition Systems require 120 volts of power ran to the fire pit for valve to operate. LP models includes Stainless Steel disc and WBECS models.



ROUND FLAT STACK ELECTRONIC START (RFWBECS) NG (RFS-36-WBECS-NG)



ROUND TALL STACK ELECTRONIC START (RTWBECS) LP (RTS-30-WBECS-LP)

| ROUND TALL STACK KITS                            | MODEL#          | 18"                  | 24"                  | 30"                  | 36"                   | 48"                   |
|--|-----------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|
| ROUND TALL STACK (RTS) NG                        | RTS-##-NG       | <b>\$410</b><br>00#  | <b>\$455</b><br>00#  | <b>\$555</b><br>00#  | <b>\$734</b><br>00#   | <b>\$827</b><br>00#   |
| ROUND TALL STACK (RTS) LP                        | RTS-##-LP       | <b>\$514</b><br>00#  | \$609<br>00#         | <b>\$817</b><br>00#  | <b>\$1124</b><br>00#  | \$1469<br>00#         |
| ROUND TALL STACK ELECTRONIC START (RTWBECS) NG** | RTS-##-WBECS-NG | <b>\$2445</b><br>00# | <b>\$2541</b><br>00# | <b>\$2772</b><br>00# | \$3079<br>00#         | \$3401<br>00#         |
| ROUND TALL STACK ELECTRONIC START (RTWBECS) LP** | RTS-##-WBECS-LP | <b>\$2445</b><br>00# | <b>\$2541</b><br>00# | <b>\$2772</b><br>00# | \$30 <b>79</b><br>00# | \$3 <b>401</b><br>00# |

\*Includes Burner, Torch Star, Lava, Key Valve, Fittings. \*\*All electronic ignition systems require 120 volts of power ran to the fire pit for valve to operate. LP models includes Stainless Steel disc and WBECS models.



# **SELECT YOUR OUTDOOR FIRE PIT KIT (CONT)**



TEE-PEE STACK (TPS) (TPS-36-NG)

| TEE-PEE STACK KITS                            | MODEL#          | 24"                  | 30"                  | 36"                  | 48"                  |
|---|-----------------|----------------------|----------------------|----------------------|----------------------|
| TEE-PEE STACK (TPS) NG                        | TPS-##-NG       | <b>\$922</b><br>00#  | \$1039<br>00#        | <b>\$1230</b><br>0#  | <b>\$1321</b><br>00# |
| TEE-PEE STACK (TPS) LP                        | TPS-##-LP       | <b>\$1077</b><br>00# | \$1350<br>00#        | <b>\$1643</b><br>00# | <b>\$1964</b><br>00# |
| TEE-PEE STACK ELECTRONIC START (TPWBECS) NG** | TPS-##-WBECS-NG | \$3009<br>00#        | <b>\$3281</b><br>00# | <b>\$3575</b><br>0#  | \$3896<br>00#        |
| TEE-PEE STACK ELECTRONIC START (TPWBECS) LP** | TPS-##-WBECS-LP | \$3009<br>00#        | <b>\$3281</b><br>00# | \$3575<br>00#        | \$3896<br>00#        |

<sup>\*</sup>Includes Burner, Lava, Key Valve, Fittings. \*\*All electronic ignition systems require 120 volts of power ran to the fire pit for valve to operate. LP models includes Stainless Steel disc and WBECS models.



ARIZONA WEATHERED OAK 9 PC LOG SET (FPAWO-18/24)



WESTERN DRIFTWOOD 9 PC LOG SET (FPWD-18/24)



ASPEN (BIRCH) 9 PC LOG SET (FPASP-18/24)

| FIRE PIT LOG SETS                     | MODEL#      | MSRP   |
|---------------------------------------|-------------|--------|
| ARIZONA WEATHERED OAK - 9 PC LOG SET  | FPAWO-18/24 | \$345  |
| ARIZONA WEATHERED OAK - 16 PC LOG SET | FPAWO-30/36 | \$677  |
| ARIZONA WEATHERED OAK - 31 PC LOG SET | FPAWO-48    | \$1739 |
| WESTERN DRIFTWOOD - 9 PC LOG SET      | FPWD-18/24  | \$345  |
| WESTERN DRIFTWOOD - 16 PC LOG SET     | FPWD-30/36  | \$677  |
| WESTERN DRIFTWOOD - 31 PC LOG SET     | FPWD-48     | \$1739 |
| ASPEN (BIRCH) - 9 PC LOG SET          | FPASP-18/24 | \$345  |
| ASPEN (BIRCH) - 16 PC LOG SET         | FPASP-30/36 | \$677  |
| ASPEN (BIRCH) - 31 PC LOG SET         | FPASP-48    | \$1739 |



## SELECT YOUR OUTDOOR FIRE PRODUCTS



**OUTDOOR FIRE PIT BURNERS** – 304 Stainless Steel fire feature burners are easily dropped into an existing fire pit. Outdoor Fire Pit Burners include 3-Spoke Ring Burners, reinforced H Burners, and center feed T Burners. **Add a kit to any size to include your flex line, key valve, and natural gas orifices.** Propane orifices available as well as round Stainless Steel disc plates.

| OUTDOOR 304 STAINLESS STEEL BURNERS | MODEL#     | 6"    | 12"   | 18"   | 24"   | 30"   | 36"   | 48"   | 60"   | 72"   |
|-------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3-SPOKE STAINLESS STEEL RING        | FRS##      | \$72  | \$122 | \$143 | \$192 | \$293 | \$357 | \$486 |       |       |
| H BURNER                            | HBSS##     |       | \$82  | \$95  | \$107 | \$145 | \$157 | \$170 | \$221 | \$282 |
| T BURNER                            | TBSS##     |       |       |       |       |       | \$95  | \$126 | \$170 | \$200 |
| 3-SPOKE STAINLESS STEEL RING KIT*   | FRS##-NGK  | \$211 | \$257 | \$276 | \$325 | \$435 | \$495 | \$624 |       |       |
| H BURNER KIT**                      | HBSS##-NGK |       | \$196 | \$209 | \$221 | \$239 | \$245 | \$263 | \$294 | \$342 |
| T BURNER KIT***                     | TBSS##-NGK |       |       |       |       |       | \$196 | \$227 | \$257 | \$288 |

<sup>\*</sup>Fire Ring Kit: 304 stainless steel fire ring, (NG) orifice, 36" flex line, connection fittings & 1/2" key valve (6"-24") 3/4" (30"-48")

#### IN DEMAND

#### PROPANE ORIFICE FOR OUTDOOR BURNERS - \$25

OAS-LP47... 50K BTU'S | 6"-12" FIRE RING

OAS-LP41... 75K BTU'S | 18" FIRE RING | 12"-18" H BURNER

OAS-LP35... 100K BTU'S | 24" FIRE RING | 24" H BURNER | 36" T BURNER

OAS-LP31... 125K BTU'S | 30"-36" H BURNER | 48" T BURNER

OAS-LP29... 150K BTU'S | 48" H BURNER | 72" T BURNER

OAS-LP26... 175K BTU's | 60" H BURNER

OAS-LP22 .. 200K BTU's | 72" H BURNER | 72" T BURNER

OAS-LP12... 300K BTU's | 30"-48" FIRE RING INCLUDES 3/4" CONNECTIONS

**OAS-LP..... PROPANE ORIFICE** 

### OUTDOOR ACCESSORIES



**DROP-IN PANS** - Round, linear, and rectangular Drop-in Pans are constructed out of 100% 304 Stainless Steel. Rectangular and Linear Pans feature folded edges with reinforcement to eliminate buckling. All pans include burners, NG/LP orifice, connection fittings, and flex line.

| OUTDOOR 304 STAINLESS STEEL DROP-IN PANS | MODEL#     | 19"   | 24"   | 25"   | 30"   | 31"   | 36"   | 48"   | 60"   | 72"   |
|--|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ROUND STAINLESS STEEL DROP-IN PAN        | DIP-RD-##  | \$477 |       | \$566 |       | \$751 |       |       |       |       |
| RECTANGULAR STAINLESS STEEL DROP-IN PAN  | DIP-REC-## |       | \$354 |       | \$439 |       | \$501 | \$606 |       |       |
| LINEAR STAINLESS STEEL DROP-IN PAN       | DIP-LN-##  |       |       |       |       |       | \$416 | \$477 | \$538 | \$606 |
| STRAIGHT BALL VALVE CHROME PLATE w/3 KEY |            |       | MOD   | EL#   |       |       | M     | ISRP  |       |       |

| STRAIGHT BALL VALVE CHROME PLATE w/3 KEY       | MODEL#      | MSRP |  |
|--|-------------|------|--|
| STRAIGHT BALL VALVE CHROME PLATE w/3 KEY       | CP.BVS.CR.B | \$73 |  |
| FITTINGS & FLEX LINE KIT - 1/2" x 16" FLEXLINE | BAK-12FFL   | \$46 |  |



<sup>\*\*</sup>H Burner Kit: 304 stainless steel H burner, (NG) orifice, 36" flex line, connection fittings & 1/2" key valve

<sup>\*\*\*</sup>T Burner Kit: 304 stainless steel T burner, (NG) orifice, 36" flex line, connection fittings & 1/2" key valve

### **SELECT FIRE TABLE**







**GFRC FIRE TABLES** - Glass reinforced concrete (GFRC) fire tables are American made and designed to create a gathering or entertaining area. 18" tall table are to be hard piped in Natural Gas or Propane. Where the 24" tall tables are Propane ONLY with a LP tank access door and thermocouple safety pilot system.

### - Color selection. Black (BLK); White with Black Wash (WHT); Gray with Black Wash (GRY); Rust\* (RST); or Bone\* (BON).
\* Colors are not stocked and custom made, 4-6 week lead time order.

| FIRE PIT TABLES -18" HIGH                       | MODEL#                | MSRP   |
|---|-----------------------|--------|
| OLYMPUS RECTANGULAR FIRE PIT TABLE - 60"L 18"H  | ORECFT-603018-###-N/P | \$3610 |
| OLYMPUS RECTANGULAR FIRE PIT TABLE - 72"L 18"H  | ORECFT-723018-###-N/P | \$4211 |
| OLYMPUS SQUARE FIRE PIT TABLE                   | OSQRFT-484818-###-N/P | \$3610 |
| OLYMPUS ROUND FIRE PIT TABLE                    | ORNDFT-444418-###-N/P | \$3610 |
| FIRE PIT TABLES -24" HIGH                       | MODEL#                | MSRP   |
| OLYMPUS RECTANGULAR FIRE PIT TABLE - 60"L 24" H | ORECFT-603024-###-P   | \$4091 |
| OLYMPUS RECTANGULAR FIRE PIT TABLE - 72"L 24" H | ORECFT-723024-###-P   | \$5174 |
|   |                       |        |
| OPTIONAL UPGRADE FIRE ROUND TABLE COVER         | COVER-ORFT-4848       | \$148  |
| OPTIONAL UPGRADE FIRE SQUARE TABLE COVER        | COVER-OSFT-4848       | \$148  |
| OPTIONAL UPGRADE FIRE RECTANGLE TABLE COVER     | COVER-ORECFT-6030     | \$148  |

| IN<br>DEMAN | GLASS WIND GUARDS           | MODEL#  |
|-------------|-----------------------------|---------|
|             | GLASS WIND GUARD FOR 36" LN | GWG-L36 |

Fire tables require 30 lbs. of glass or lava rock. Tables are made with concrete mix and colors may vary from one another.

GLASS WIND GUARD FOR 48" LN GWG-L48 \$352
GLASS WIND GUARD FOR 19" RND GWG-R19 \$282



Price Guide effective April 01, 2024

**MSRP** 

\$244

### SELECT FIRE BOWL







GFRC FIRE BOWLS - Completely customizable: Choose your size, color, burner style (Ring or Tee-Pee), gas type, and controls. Additional options not included in MSRP are Lava Rock or 1/2" Reflective Fire Glass and 1 of 3 unique fire pit log species (Arizona Weathered Oak, Western Driftwood, and Aspen White Birch).

Glass reinforced concrete (GFRC) fire bowls are American made and designed to create a gathering or entertaining area. Choose from two sizes: 48" diameter (top) x 16" deep or 39" diameter (top) x 13" deep, comes with burner, SS disc ring, and gas orifice.

### - Color Selection. Black (BLK); White with Black Wash (WHT); Gray with Black Wash (GRY); Rust\* (RST); or Bone\* (BON). \* Colors are not stocked and custom made, 4-6 weeks lead time order.

**R** = Ring **TP** = Tee Pee Burner **NG** = Natural Gas **P** = Propane

Shown with logs not included in price, logs are separate order.

| FIRE BOWLS  | MODEL#  | MSRP   |
|---|---|--------|
| FIRE BOWL - 39" x 13" (NATURAL GAS) *Includes 30" Fire Ring Burner, 33" SS Disc, NG Orifice, Small Install Kit & Feet (Select-A | FB3913-R-N-### Additional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock)     | \$2834 |
| FIRE BOWL - 39" x 13" (PROPANE) *Includes 30" Fire Ring Burner, 33" SS Disc, LP Orifice, Small Install Kit & Feet (Select-A     | FB3913-R-P-###<br>dditional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock)   | \$2834 |
| FIRE BOWL - 39" x 13" (NATURAL GAS) *Includes 30" Tee Pee Burner, 33" SS Disc, NG Orifice, Small Install Kit & Feet (Select-Ad  | FB3913-TP-N-### dditional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock)     | \$3389 |
| FIRE BOWL - 39" x 13" (PROPANE) *Includes 30" Tee Pee Burner, 33" SS Disc, LP Orifice, Small Install Kit & Feet (Select-Ac      | FB3913-TP-P-###<br>Iditional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock)  | \$3389 |
| FIRE BOWL - 48" x 16" (NATURAL GAS) *Includes 36" Fire Ring Burner, 40" SS Disc, NG Orifice, Large Install Kit & Feet (Select-A | FB4816-R-N-### additional Cost: 190 lbs. of Glass or 70 lbs. of Lava Rock)    | \$4369 |
| FIRE BOWL - 48" x 16" (PROPANE) *Includes 36" Fire Ring Burner, 40" SS Disc, LP Orifice, Large Install Kit & Feet (Select-A     | FB4816-R-P-###<br>dditional Cost: 190 lbs. of Glass or 70 lbs. of Lava Rock)  | \$4369 |
| FIRE BOWL - 48" x 16" (NATURAL GAS) *Includes 36" Tee Pee Burner, 40" SS Disc, NG Orifice, Large Install Kit & Feet (Select-Ad  | FB4816-TP-N-### dditional Cost: 190 lbs. of Glass or 70 lbs. of Lava Rock)    | \$4960 |
| FIRE BOWL - 48" x 16" (PROPANE) *Includes 36" Tee Pee Burner, 40" SS Disc, LP Orifice, Large Install Kit & Feet (Select-Ad      | FB4816-TP-P-###<br>Iditional Cost: 190 lbs. of Glass or 70 lbs. of Lava Rock) | \$4960 |
| OPTIONAL COVER ROUND 39D X 13 FIRE BOWL   | COVER-FB-3913   | \$120  |
| OPTIONAL COVER ROUND 48D X 16 FIRE BOWL   | COVER-FB-4816   | \$152  |
|   |   |        |



### **KIVA SETS**







AZ WEATHERED OAK KIVA LOGS (AWO-KIVALOGS)



ASPEN KIVA LOGS (ASPEN-KIVALOGS)



KIVA BURNER (KIVABRN-24)



KIVA BURNER STAINLESS STEEL (KIVABRN-24-SS)

| KIVA SERIES SETS                | MODEL#                 | MSRP  | 18"   | 24"       | 30"   |
|---------------------------------|------------------------|-------|-------|-----------|-------|
| ARIZONA WEATHERED OAK KIVA LOGS | AWO-KIVALOGS           | \$264 | ONE   | SIZE FITS | ALL   |
| ARIZONA JUNIPER KIVA LOGS       | AJ-KIVALOGS            | \$264 | ONE   | SIZE FITS | ALL   |
| ASPEN KIVA LOGS                 | <b>ASPEN-KIVA LOGS</b> | \$321 | ONE   | SIZE FITS | ALL   |
| KIVA BURNER                     | KIVABRN-##             |       | \$324 | \$396     | \$471 |
| KIVA BURNER STAINLESS STEEL     | KIVABRN-##-SS          |       | \$556 | \$608     | \$656 |

<sup>\*</sup>Designed for Adobe lit Kiva fireplaces, burners size to fit Adobe Kiva fireplace.







FIREGLASS DISPLAY RACK (GLASS RACK)



Black White

Rust

Gray

Bone

GFRC FIRE-TABLE COLOR DISPLAY SAMPLE (COLOR-CHIPS)

### POINT OF PURCHASE MATERIAL

**LOG DISPLAY RACKS** 

| THREE TIER DISPLAY RACK                                | MODEL#          | NET COST |
|--|-----------------|----------|
| 3 TIER DISPLAY RACK                                    | DISPLAY RACK    | \$150    |
| GLASS CONTAINER DISPLAY RACKS - Holds up to 90 contain | ers, 5 shelves. |          |

| FIREGLASS DISPLAY RACK | MODEL#            | NET COST |
|------------------------|-------------------|----------|
| FIREGLASS DISPLAY RACK | <b>GLASS RACK</b> | \$150    |

GLASS COLOR CHIP DISPLAY - All seven colors available.

| GLASS COLOR CHIP DISPLAY | MODEL#   | NET COST |
|--------------------------|----------|----------|
| 6 SECTION GLASS DISPLAY  | GLASSBOX | \$7      |

GFRC FIRE-TABLE COLOR DISPLAY - All five colors available.

| GFRC FIRE-TABLE COLOR DISPLAY SAMPLES                          | MODEL#      | NET COST |
|--|-------------|----------|
| COLOR SAMPLE 5 PACK GRAY, CHARCOAL BLACK,<br>RUST, WHITE, BONE | COLOR-CHIPS | \$32     |

**GRAND CANYON GAS LOGS SALES BROCHURES** 

| SALES BROCHURES                     | MODEL#             | MSRP |
|-------------------------------------|--------------------|------|
| INDOOR BROCHURE 2024                | 23/24GCINDOOR_V1   | FREE |
| OUTDOOR BROCHURE 2024               | 23/24-GCOUTDOOR_V1 | FREE |
| BEDROCK LINEAR BURNER BROCHURE 2024 | 23/24-BEDSERIES_V1 | FREE |



# REPLACEMENT PARTS

| ND | PILOT ASSEMBLIES                                 | MODEL#         | USE   | MSRP  |
|----|--|----------------|---|-------|
|    | 18" NATURAL GAS THERMOCOUPLE PILOT ASSEMBLY      | SPK-PILOT-18   | Safety Pilot and<br>Modulating Millivolt            | \$79  |
|    | 18" PROPANE THERMOCOUPLE PILOT ASSEMBLY          | SPK-PILOT-18P  | Safety Pilot and<br>Modulating Millivolt            | \$79  |
|    | 18" MILLIVOLT PILOT ASSEMBLY NG                  | MV-PILOT-18    | Millivolt and<br>HC Millivolt                       | \$126 |
|    | 18" MILLIVOLT PILOT ASSEMBLY LP                  | MV-PILOT-18P   | Millivolt and<br>HC Millivolt                       | \$126 |
|    | 36" MILLIVOLT PILOT ASSEMBLY NG                  | MV-PILOT-36    | Millivolt and HC Millivolt                          | \$144 |
|    | 36" MILLIVOLT PILOT ASSEMBLY LP                  | MV-PILOT-36P   | Millivolt and<br>HC Millivolt                       | \$144 |
|    | 120" ELECTRONIC PILOT ASSEMBLY NG                | ELE-PILOT-120  | EIS Indoor / Outdoor                                | \$246 |
|    | 120" ELECTRONIC PILOT ASSEMBLY LP                | ELE-PILOT-120P | EIS Indoor / Outdoor                                | \$246 |
|    | 72" ELECTRONIC PILOT ASSEMBLY NG                 | ELE-PILOT-72   | EIS Indoor / Outdoor                                | \$221 |
|    | 72" ELECTRONIC PILOT ASSEMBLY LP                 | ELE-PILOT-72P  | EIS Indoor / Outdoor                                | \$221 |
|    | 24" PILOT ASSEMBLY FOR BATTERY ELECTRONIC        | MVK-PILOT-24   | Battery Electronic                                  | \$101 |
|    | 24" PILOT ASSEMBLY FOR BATTERY ELECTRONIC LP     | MVK-PILOT-24P  | Battery Electronic                                  | \$101 |
|    | LP CONVERSION KIT ORIFICE AND AIR MIXER ASSEMBLY | LP-CONV        | 2BRN, 3BRN, Jumbo Jumbo<br>Slim, GLASSBRN, and Kiva | \$54  |



HIGH OUTPUT MILLIVOLT (700-506)



36" MILLIVOLT PILOT ASSEMBLY NG (MV-PILOT-36)



18" Propane Thermocouple Pilot Assembly (SPK-PILOT-18P)

| VALVES  | MODEL#   | USE                                   | MSRP  |
|---|----------|---------------------------------------|-------|
| NG->LP CONVERSION KIT                                     | 1751-016 | MVQMKN / LP   HCMVQMKN / LP   ALL EIS | \$31  |
| HIGH OUTPUT MILLIVOLT NATURAL GAS                         | 700-506  | HCMVQMKN / HCMVQMKLP                  | \$500 |
| STANDARD MILLIVOLT GAS VALVE NATURAL GAS                  | 710-502  | MVQMKN / MVQMKLP                      | \$277 |
| 200K BTU HEATING KIT NON-LOCKOUT                          | 712-017  | EIS / EIS-OUTDOOR                     | \$750 |
| 350K BTU VALVE - ELECTRONIC W/O TRNSFMR,PILOT TUBE & BRNR | 712-006  | EIS-350 / EIS-OUTDOOR-350             | \$999 |
| VENTED MANUAL SAFETY VALVE SKYTECH                        | AF-1000  | MMVKR-N / LP                          | \$131 |



# **REPLACEMENT PARTS**







36" THERMOPILE LEAD (1950-001)



SKYTECH VARIABLE/THERMOSTAT REMOTE/RECEIVER (SR1001TH-1-GC)

| CONTROL ASSEMBLIES  |         |       | MODEL#                  | USE                                      |        | MSRP   |
|---|---------|-------|-------------------------|--|--------|--------|
| SPARK IGNITER ASSEMBLY 10'                                |         |       | 1751-120                | EIS W/10' PILOT                          |        | \$181  |
| SPARK IGNITER ASSEMBLY 6'                                 |         |       | 1751-749                | EIS W/6' PILOT                           |        | \$150  |
| 18" THERMOCOUPLE  |         |       | 1900-01H                | Safety Pilot and<br>Modulating Millivolt |        | \$20   |
| 36" THERMOPILE LEAD                                       |         |       | 1950-001                | Millivolt and HC                         |        | \$62   |
| 24V TRANSFORMER -FOOTMOUNT FOOTMOUNT HARDWIRE             |         |       | 620-403                 | Millivolt                                |        | \$110  |
| IGNITION MODULE (NON-LOCKOUT) IPI IGNITION (ROBERTSHAW)   |         |       | 780-715                 | ALL EIS                                  |        | \$550  |
| IGNITION MODULE (LOCKOUT) IPI IGNITION (ROBERTSHAW)       |         |       | 780-845                 | EIS-350 and EIS-720                      |        | \$649  |
| 12V TRANSFORMER WEATHER BEATER                            |         |       | TR-120-12               | Weather Beater                           |        | \$117  |
| VARIABLE FLAME MOTOR DRIVE FOR RCAF-1020-1 REMOTE CONTROL |         |       | AF-1000MH-L             | MMVKR-NG/LP                              |        | \$105  |
| ON/OFF/HI/LOW TRANSMITTER, RECEIVER, AND BATTERIES VENTED |         |       | RCAF-1020-1 MMVKR-NG/LP |  | \$164  |        |
| VARIABLE/THERMOSTAT REMOTE/RECEIVER VENTLESS              |         |       | R1001TH-1-GC            | Variable Ventless                        |        | \$218  |
| OUTDOOR TP BURNER   | MODEL#  |       | 24"                     | 30"                                      | 36"    | 48"    |
| OUTDOOR TP BURNERS  | OTPB-## |       | \$791                   | \$911                                    | \$1082 | \$1228 |
|   |         |       |                         |  |        |        |
| STAINLESS STEEL DISCS                                     | MODEL#  | 18"   | 24"                     | 30"                                      | 36"    | 48"    |
| STAINLESS STEEL DISCS                                     | DISC-## | \$105 | \$212                   | \$352                                    | \$422  | \$750  |







# BRANDS

MODERN FLAMES WILDFIRE GRAND CANYON

www.GrandCanyonGasLogs.com

PHONE: 602-344-4217

customerservice@grandcanyongaslogs.com

Copyright © 2025 RPG Brands and Grand Canyon Gas Logs. All rights reserved. Products and specifications subject to change without notice.