PRICE GUIDE 2024

GRAND CANYON GAS LOGS

ELEBRA



Lava Vented Front View featuring GlowFire[™] Log Technology

This one-of-a-kind masterpiece gives the look and the feel of the log on fire; because it is! Each Glowfire[™] log is individually orificed and ported allowing the fuel to flow out of the log presenting the most realistic gas log set on the market.





GRAND CANYON GAS LOGS

Our expertly crafted, ultra-realistic gas logs and larger than life flames are designed to elevate any indoor or outdoor environment, creating an unforgettable ambiance reminiscent of gathering around the campfire. Make your hearth the centerpiece of your home with Grand Canyon Gas Logs.

Established in 2014, Grand Canyon Gas Logs was created to bring handcrafted quality, hyper-realistic designs, and American-made manufacturing back to the hearth industry's gas log market – employing over 30 years of industry knowledge to foster innovation in an ever-evolving landscape. Earning the brand a highly-regarded reputation for their boutique practices and positioning Grand Canyon as the "craft beer" of the gas log industry.

Take a look at our full line of indoor and outdoor products to truly understand the Grand Canyon Gas Logs difference.






















TABLE OF CONTENTS

Select your Size, Log, Burner, Controls, and Accessories 1
Minimum Fireplace Dimensions 2/3
Lava Burner w/ GlowFire [™] Log Technology 4
Bedrock Series 5
Indoor/Outdoor Vented Log Sets and Burners
Vented Assembled Burner Systems 7
See Through Logs, Burners, and Assembled Burners
Jumbo/Jumbo Slimline Log Sets and Burners 10
Vented Contemporary, Cannonballs 11
Controls, Twigs, and Accessories, Glass 12/13
Controls and Accessories; Indoor and Outdoor 14
Ventless Log Sets and Burners 15
Outdoor Fire Pit Kits
Outdoor Fire Pit Kits and Fire Pit Logs 17
Outdoor Fire Products and Accessories 18
Fire Tables 19
Fire Bowls 20
Kiva Sets and Point of Purchase Displays 21
Replacement Parts 22/23







MINIMUM FIREPLACE DIMENSIONS MINIMUM FIREPLACE SIZES Lava Burner SIZE FRONT WIDTH DEPTH BACK WIDTH HEIGHT **BTU RATING NG BTU RATING LP** <u>HIGH</u> LOW HIGH LOW 18" 28' 16" 18" 22' 40k 40k 18k 25k 24" 34" 16" 24" 22" 55k 35k 55k 30k 30" 40" 18" 30" 26' 75k 45k 75k 40k 36' 46" 18' 36' 26' 85k 55k 85k 48k MINIMUM FIREPLACE SIZES 2-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKR-NG/LP, EIS-N/L) FRONT WIDTH DEPTH BACK WIDTH HEIGHT **BTU RATING NG BTU RATING LP** SIZE 18" 30' 14' 14' 52k 49k 18 21" 33" 14" 21" 14" 58k 58k 24" 36" 14" 14" 64k 64k 24" 76k 30" 42" 79k 16" 30" 14" 36" 48" 16" 36" 14" 81k 83k 42" 54" 42" 87k 16" 14' 86k 48" 60" 16" 48" 16" 150k 145k 60" 72" 16" 60" 16" 175k 165k MINIMUM FIREPLACE SIZES 2-Burner with controls (MVKEIKN/LP) **BTU RATING LP** SIZE FRONT WIDTH DEPTH BACK WIDTH HEIGHT **BTU RATING NG** 18" 36' 14' 24' 14' 52k 49k 21" 39" 14" 27" 14" 58k 58k 24" 42" 14" 30" 14" 64k 64k 30" 48" 16" 36" 14" 76k 79k 42" 36" 54" 16" 14" 81k 83k 42" 60' 16" 48" 14" 87k 86k MINIMUM FIREPLACE SIZES 3-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) SIZE FRONT WIDTH DEPTH BACK WIDTH HEIGHT **BTU RATING NG BTU RATING LP** 18" 30 18 16 46k 41k 14' 21" 33" 14" 21" 16" 58k 58k 24" 36" 14" 24" 16" 74k 64k 30" 42" 16" 30" 16" 102k 91k 48" 36" 16" 36" 16" 111k 106k 42" 54" 16" 42" 16' 120k 121k MINIMUM FIREPLACE SIZES Jumbo Slimline-Burner with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) SIZE FRONT WIDTH DEPTH BACK WIDTH HEIGHT **BTU RATING NG BTU RATING LP** 24" 36 21' 24' 30' 103k 95k 30" 42" 21" 30" 30" 112k 110k 36" 48" 21" 36" 30" 150k 145k 42" 54" 21" 42" 30" 165k 160k 48" 60" 21" 48" 30" 195k 190k 60" 72" 30" 21' 60" 230k 225k MINIMUM FIREPLACE SIZES Jumbo-Burner with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, EIS-N/LP) SIZE FRONT WIDTH DEPTH BACK WIDTH HEIGHT **BTU RATING NG BTU RATING LP** 36" 48" 24" 36" 30" 150k 145k 42" 54" 24" 30" 42" 165k 160k 48" 60" 24" 48" 30" 195k 190k 60" 72" 24' 60" 30" 230k 225k 72" 84" 24" 72" 30" 240k 230k 84" 96' 24' 84" 30" 270k 240k 96' 108 24' 96' 30" 300k 275k 108' 120" 24" 108" 30" 350k 325k 24" 120' 132 120" 30" 500k 450k MINIMUM FIREPLACE SIZES Bedrock Vented Linear Drop-in Burner SIZE FRONT WIDTH DEPTH BACK WIDTH HEIGHT **BTU RATING NG BTU RATING LP** 24" 24' 15" 24" 20' 30k/20k 30k/15k 36" 45k/20k 36" 15" 36" 20" 45k/30k 60k/40k 60k/30k 48" 48" 15" 48" 20" 60" 60" 75k/40k 15" 60" 20' 75k/50k 72" 72" 15" 72" 20" 90k/60k 90k/50k 84" 84' 15" 84' 20' 105k/70k 105k/55k 96' 96' 15" 96' 20' 120k/80k 120k/60k GRAND CANYON

KIVA-Burner with controls (Match Lite, SPQMKN/LP,				MINIMUM FIRE	PLACE SIZ	ES	
MVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING I
7 4 4	18"	24"	12"	. 12"	18"	45k	35k
	24"	30"	12"	18"	18"	52k	49k
	30"	35"	12"	21"	18"	65k	64k
Glass H-Burner with controls (Match Lite, SPQMKN/LP,				MINIMUM FIRE	PLACE SIZ	ES	
MVQMKN/LP, MMVKR-NG/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING L
	18"	30"	14"	18"	10"	52k	49k
	21"	33"	14"	21"	10"	58k	58k
	24"	36"	14"	24"	10"	64k	64k
	30"	42"	16"	30"	10"	76k	79k
	36"	48"	16"	36"	10"	81k	83k
W	42"	54"	16"	42"	10"	86k	87k
	48"	60" 70"	16"	48"	10" 10"	150k	145k
	60"	72"	16"	60" MINIMUM FIRE	10"	175k	165k
Glass H-Burner with controls (MVKEI/LP)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING L
	18"	36"	14"	24"	10"	52k	49k
	21"	39"	14"	27"	10"	58k	58k
Alexandre	24"	42"	14"	30"	10"	64k	64k
	30"	48"	16"	36"	10"	76k	79k
84 Te	36"	54"	16"	42"	10"	81k	83k
	42"	60"	16"	48"	10"	86k	87k
2-Burner See Through with controls (Match Lite,		1	1	MINIMUM FIRE	PLACE SIZ	ES	1
ICSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING L
	18"	30"	14"	30"	14"	103k	93k
	24"	36"	14"	36"	14"	118k	100k
	30"	42"	16"	42"	14"	128k	115k
	36"	48"	16"	48"	14"	135k	125k
A DESCRIPTION OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER	42"	54"	16"	54"	14"	140k	130k
	48"	60"	16"	60"	16"	150k	145k
	60"	72"	16"	72"	16"	175k	165k
2-Burner See Through with controls (MVKEIKN/LP)	SIZE	FRONT WIDTH	DEPTH	MINIMUM FIRE	HEIGHT	ES BTU RATING NG	BTU RATING L
	18"	36"	14"	36"	14"	103k	93k
	24"	30 42"	14 14"	30 42"	14 14"	103k 118k	93k 100k
	24 30"	42 48"	14	48"	14"		115k
	36"	40 54"	16"	40 54"	14"	_	125k
	42"	60"	16"	60"	14"	_	120k
3-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,				MINIMUM FIRE	PLACE SIZ	ES	
MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING L
	18"	30"	14"	30"	16"	103k	93k
	24" 30"	36" 42"	14" 16"	36" 42"	16" 16"	118k 128k	100k
	30 36"	42 48"	16	42 48"	16"	135k	115k 125k
	30 42"	48 54"	16"	40 54"	16"	135k 140k	125k 130k
Jumbo-Burner See Through with controls	42		10	MINIMUM FIRE			IJUK
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING L
	24"	36"	26"	36"	30"	103k	95k
	30"	42"	26"	42"	30"	112k	110k
	36"	48"	26"	48"	30"	165k	155k
		54"	26"	54"	30"	185k	170k
	42"	54					
	42" 48"	60"	26"	60"	30"	210k	195k





LAVA VENTED FRONT VIEW BURNER - This one-of-a-kind masterpiece gives the look and the feel of the log on fire; because it is! Each log is individually orificed and ported allowing the fuel to flow out of the log presenting the most realistic gas log set on the market. The revolutionary technology present ultra-realistic style and design to the traditional gas log set. GlowFire[™] Log Technology also allows for increased efficiency by using less BTU's and creating a fuller more robust flame effect. The ceramic refractory logs radiate more heat out into the room compared to a traditional concrete gas log set. Available in 4 convenient sizes, gas specific construction, and available with either On/Off or variable flame electronic controls. The Lava Burner series and GlowFire[™] Log Technology has created a platform for endless log style and future configuration development.

LAVA VENTED FRONT VIEW BURNER	MODEL#	18"	24"	30"	36"
LAVA FRONT VIEW NATURAL GAS ELECTRONIC IGNITION BURNER (EN)	LAFV-##-EN	\$1619	\$1685	\$1759	\$1975
LAVA FRONT VIEW PROPANE ELECTRONIC IGNITION BURNER (EP)	LAFV-##-EP	\$1619	\$1685	\$1759	\$1975
LAVA FRONT VIEW NATURAL GAS VARIABLE ELECTRONIC IGNITION BURNER (VEN)	LAFV-##-VEN	\$1959	\$2029	\$2099	\$2315
LAVA FRONT VIEW PROPANE VARIABLE ELECTRONIC IGNITION BURNER (VEP)	LAFV-##-VEP	\$2075	\$2145	\$2215	\$2430
Rev GLOWFIRE™ ARIZONA WEATHERED OAK CHARRED LOGS	GFWOC-##	\$659	\$769	\$1099	\$1299

Includes Burner, Lava Rock, Black Embers, Flex Line, Damper Clamp, Manual, and Rating Plate.

EN/EP = ON/OFF Dexen Controls

VEN/VEP = Variable SIT Proflame 1 controls



BEDROCK SERIES



BEDROCK TRADITIONAL - The Traditional featuring **NEW** GlowFire[™] Log Technology, The first-of-its-kind on the open face fireplace integrates the burner tubes inside the actual logs, giving the look and feel of the log on fire. GlowFire[™] Logs are specifically designed to bring more fuel efficiencies to the gas log market by consuming less fuel while still creating a fuller

more robust flame compared to a traditional gas log set. The ceramic log mixture radiates more heat out into the room while also creating less flame infringement drastically reducing sooting. *Must add lava rock or 1/2" reflective glass and GlowFire[™] Logs.

	TRADITIONAL	MODEL#	48"	60"	72"
NEW	BEDROCK TRADITIONAL DROP-IN BURNER NATURAL GAS FEATURING GLOWFIRE™ LOGS (EN)*	LDBT##L-EN	\$2005	\$2205	\$2495
NEW	BEDROCK TRADITIONAL DROP-IN BURNER PROPANE FEATURING GLOWFIRE™ LOGS (EP)*	LDBT##L-EP	\$2250	\$2465	\$2845
NEW	WESTERN DRIFTWOOD BEDROCK TRADITIONAL GLOWFIRE™ LOGS	LDBT-DW##	\$1026	\$1389	\$1489

*Must add logs. Includes Deck, Base, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual , Flex line and Fittings.



BEDROCK CONTEMPORARY LINEAR DROP-IN BURNER -Drop-in Burner is specifically designed to fit any trough style masonry fireplace or contemporary designed wood burning fireplace. Operated with an SIT Proflame II control system including convenient flame modulation on a sleek hand held remote. The Bedrock Burner is also the **FIRST** vented Drop-in

burner system featuring IC controlled LED lighting that operates with a remote or easy to use App. *Must add lava rock or 1/2 reflective glass. Cannonballs and Driftwood logs optional.

ND	CONTEMPORARY	MODEL#	24"	36"	48"	60"	72"	84"	96"
1	LINEAR DROP-IN BURNER & CASE (NG)*	LDB##L-EN	\$2669	\$2836	\$3036	\$3258	\$3448	\$3626	\$3826
	LINEAR DROP-IN BURNER & CASE (LP)*	LDB##L-EP	\$2725	\$2892	\$3092	\$3314	\$3504	\$3682	\$3882

Includes Case, Burner, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual , Flex line and fittings.



Price Guide effective April 01, 2024

BEDROCK II VENTLESS LINEAR DROP-IN BURNER -

Operated with an SIT Proflame II control system including convenient flame modulation on a sleek hand held remote. The Ventless Bedrock Burner is also the **LARGEST** ventless Drop-in Burner system at 60" featuring IC controlled LED lighting that operates with a remote or easy to use App.

Available in 4 convenient sizes, install indoors or under a covered patio & add 1/2" reflective glass to finish off. Use glass media only. *Must add 1/2" reflective glass.

VENTLESS	MODEL#	24"	36"	48"	60"		
BEDROCK II VENTLESS LINEAR DROP-IN BURNER & CASE NATURAL GAS*	VFLDB##L-EN	\$2669	\$2836	\$3036	\$3258		
BEDROCK II VENTLESS LINEAR DROP-IN BURNER & CASE PROPANE*	VFLDB##L-EP	\$2725	\$2892	\$3092	\$3314		

Includes Case, Burner, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual , Flex line and Fittings.



SELECT YOUR INDOOR/OUTDOOR LOGS



VENTED LOGS - All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete, ceramic refractory, and stainless steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

	VENTED GAS LOG SET	BURNER OMPATIBILIT	Y MODEL#	18"	21"	24"	30"	36"	42"	48"	60"
	ARIZONA WEATHERED OAK (AWO)	2&3	AWO##LOGS	\$271 36#/1	\$340 44#/1	\$469 63#/1	\$670 103#/1		\$1139 185#/2		
	ARIZONA JUNIPER (AJ)	2&3	AJ##LOGS	\$333 35#/1	\$395 43#/1	\$526 56#/1	\$727 105#/1		\$1195 210#/2		
٧D	QUAKING ASPEN (ASPEN)	2&3	ASPEN##LOGS	\$333 35#/1		\$526 43#/1	\$727 120#/1		\$1195* 210#/2		
ĺ	ARIZONA WEATHERED OAK CHARRED (AWOO	C) 2&3	AWOC##LOGS	\$395 45#/1		\$533 72#/1	\$771 115#/1		\$1200 205#/2		
	WESTERN DRIFTWOOD (DRIFTWOOD)	2&3	DRIFTWOOD##LOGS	\$333 35#/1	\$395 43#/1	\$526 56#/1	\$727 105#/2		\$1195 210#/2		

*NEW ITEM **##=SIZE

weight/boxes

SELECT YOUR BURNER





VENTED BURNERS - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems.

INDOOR VENTED BURNERS SET	MODEL#	18"	21"	24"	30"	36"	42"	48"	60"
GRAND CANYON 2-BURNER	2BRN-##	\$339 30#	\$396 35#	\$428 45#	\$483 50#	\$668 55#	\$813 60#	\$1275* 75#	\$1460* 85#
GRAND CANYON 3-BURNER	3BRN-##	\$550 33#	\$608 38#	\$635 48#	\$696 53#	\$879 58#	\$1024 _{63#}		
*Height profile of a 3-burner.							Lo	ogs not ir	ncluded
OUTDOOR VENTED BURNERS SET	MODEL#	18"	21"	24"	30"	36"	42"	48"	60"
GRAND CANYON 2-BURNER	2BRN-##-SS	\$607 30#	\$706 35#	\$761 45#	\$847 50#	\$1157 55#	\$1399 60#	\$2028 75#	\$2635 85#
GRAND CANYON 3-BURNER	3BRN-##-SS	\$847 33#	\$976 38#	\$1130 48#	\$1223 53#	\$1487 58#	\$1572 _{63#}		
*##=SIZE							Lo	ogs not i	ncluded
		~~~~~							



# SELECT YOUR ASSEMBLED BURNER





2 Burner (2BRN-24-NG-SP)

3 Burner (3BRN-24-NG-MVKEI-GCRK)

**ASSEMBLED INDOOR 2 AND 3 BURNERS** - Assembled burner systems feature factory tested and installed control systems. Tested to the ANSI standard, these assembled systems are a plug and play approach. Indoor use ONLY, ceramic coated chassis with metal bar stock burner tubes all welded together. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, flex line, damper clamp, and vermiculite (LP ONLY).

ASSEMBLED INDOOR 2-BURNER SERIES MODEL#	18"	21"	24"	30"	36"	42"	48"	60"
<b>2BRN-##-NG-SP</b> Assembled 2 burner natural gas with safety pilot system.	\$534	\$592	\$623	\$678	\$862	\$1005	\$1462	\$1646
<b>2BRN-##-NG-MVK-GCRK</b> Assembled 2 burner natural gas with millivolt and remote system.	\$938	\$995	\$1026	\$1081	\$1264	\$1408	\$1865	\$2048
<b>2BRN-##-NG-MMVR</b> Assembled 2 burner natural gas with modulating millivolt and remote system.	\$1046	\$1103	\$1134	\$1189	\$1372	\$1516	\$1973	\$2156
<b>2BRN-##-NG-MVKEI-GCRK</b> Assembled 2 burner natural gas with battery electronic and remote system.	\$1255	\$1312	\$1343	\$1398	\$1581	\$1725	\$2182	\$2365
<b>2BRN-##-LP-SP</b> Assembled 2 burner propane with safety pilot system.	\$590	\$648	\$679	\$734	\$917	\$1060	\$1518	\$1701
<b>2BRN-##-LP-MVK-GCRK</b> Assembled 2 burner propane with millivolt and remote system.	\$1016	\$1074	\$1104	\$1159	\$1342	\$1486	\$1943	\$2126
<b>2BRN-##-LP-MMVR</b> Assembled 2 burner propane with modulating millivolt remote.	\$1101	\$1159	\$1190	\$1244	\$1427	\$1571	\$2028	\$2212
<b>2BRN-##-LP-MVKEI-GCRK</b> Assembled 2 burner propane with battery electronic and remote system.	\$1334	\$1391	\$1422	\$1477	\$1660	\$1804	\$2261	\$2444
							Logs n	ot included

ASSEMBLED INDOOR 3-BURNER SERIES MODEL#	18"	21"	24"	30"	36"	42"
<b>3BRN-##-NG-SP</b> Assembled 3 burner natural gas with safety pilot system.	\$743	\$802	\$828	\$1141	\$1324	\$1468
<b>3BRN-##-NG-MVK-GCRK</b> Assembled 3 burner natural gas with millivolt and remote system.	\$1147	\$1205	\$1231	\$1506	\$1688	\$1832
<b>3BRN-##-NG-MMVR</b> Assembled 3 burner natural gas with modulating millivolt and remote system.	\$1255	\$1313	\$1339	\$1399	\$1581	\$1725
<b>3BRN-##-NG-MVKEI-GCRK</b> Assembled 3 burner natural gas with battery electronic and remote system.	\$1463	\$1522	\$1548	\$1607	\$1790	\$1934
<b>3BRN-##-LP-SP</b> Assembled 3 burner propane with safety pilot system.	\$799	\$857	\$883	\$944	\$1126	\$1269
<b>3BRN-##-LP-MVK-GCRK</b> Assembled 3 burner propane with millivolt and remote system.	\$1225	\$1283	\$1309	\$1369	\$1551	\$1695
<b>3BRN-##-LP-MMVR</b> Assembled 3 burner propane with modulating millivolt remote.	\$1310	\$1369	\$1395	\$1454	\$1636	\$1780
<b>3BRN-##-LP-MVKEI-GCRK</b> Assembled 3 burner propane with battery electronic and remote system.	\$1543	\$1601	\$1627	\$1687	\$1869	\$2013
*##=SIZE					Logs no	ot included



# **SELECT YOUR SEE THROUGH LOG SET**



**VENTED SEE THROUGH INDOOR/OUTDOOR LOGS** - All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete, ceramic refractory, and stainless-steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

	SEE THROUGH LOG SETS C	BURNER OMPATIBILI1	ry MODEL#	18"	24"	30"	36"	42"	48"	60"
	ARIZONA WEATHERED OAK (AWOST)	2,3	AWOST##LOGS	<b>\$340</b> 38#/1/7	<b>\$533</b> 71#/1/8	<b>\$733</b> 115#/1/9	<b>\$921</b> 135#/2/10			<b>\$1637</b> 235#/2/15
	WESTERN DRIFTWOOD (DRIFTWOODS	T) 2,3	DRIFTWOODST##LOGS	<b>\$395</b> 33#/1/7	<b>\$595</b> 80#/1/8	<b>\$794</b> 113#/1/9	<b>\$989</b> 153#/2/10	<b>\$1288</b> 241#/2/12		
i Ane	QUAKING ASPEN (ASPENST)	2,3	ASPENST##LOGS	<b>\$395</b> 33#/1/7	<b>\$595</b> 80#/1/8	<b>\$817</b> 113#/1/9		<b>\$1313*</b> 245#/2/13		<b>\$1651*</b> 290#/2/15
1	ARIZONA JUNIPER (AJST)	2,3	AJST##LOGS	<b>\$395</b> 33#/1/7	<b>\$595</b> 80#/1/8	<b>\$794</b> 113#/1/9	<b>\$989</b> 153#/2/10	<b>\$1288</b> 241#/2/12		
I ANE	ARIZONA WEATHERED OAK CHARRED (AWOCST)	2,3	AWOCST##LOGS	<b>\$395</b> 33#/1/8	<b>\$595</b> 80#/1/8	<b>\$833</b> 113#/1/9	<b>\$1058</b> 153#/2/10			

*NEW ITEM **##=SIZE

weight/boxes/log number in set

# SELECT YOUR SEE THROUGH BURNER





3 Burner - See Through (3BRN-ST24)



- Stainless Steel (3BRN-ST24-SS)

**SEE THROUGH BURNERS** - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal bar stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems page.

SEE THROUGH BURNERS	MODEL#	18"	24"	30"	36"	42"	48"	60"
SEE THROUGH 2-BURNER	2BRN-ST##	<b>\$661</b> 30#	<b>\$780</b> 45#	<b>\$852</b> 50#	<b>\$1062</b> 55#	<b>\$1273</b> 60#	<b>\$1791*</b> 75#	<b>\$2192*</b> 85#
SEE THROUGH 3-BURNER	3BRN-ST##	<b>\$984</b> 33#	<b>\$1130</b> 48#	<b>\$1295</b> 53#	<b>\$1691</b> 58#	<b>\$1974</b> _{63#}		
*2 burner system, middle & elevated back burner w/height of the 3 bur	rner					Lo	gs not ir	ncluded
SEE THROUGH STAINLESS STEEL BURNERS	MODEL#	18"	24"	30"	36"	42"	48"	60"
SEE THROUGH STAINLESS STEEL 2-BURNER	2BRN-ST##-SS	<b>\$1174</b> 30#	<b>\$1386</b> 45#	<b>\$1512</b> 50#	<b>\$1887</b> 55#	<b>\$2258</b> 60#	<b>\$2548</b> 75#	<b>\$3101</b> 90#
SEE THROUGH STAINLESS STEEL 3-BURNER	3BRN-ST##-SS	<b>\$1413</b> 33#	<b>\$1875</b> 48#	<b>\$2047</b> 53#	<b>\$2502</b> 58#	<b>\$2615</b> 63#		

Note: Stainless Steel See Through Burners are special order, 2-3 weeks lead time. **##=SIZE





# SELECT YOUR SEE THROUGH ASSEMBLED BURNER





2 Burner (2BRN-ST24-NG-MVKEI-GCRK)

3 Burner (3BRN-ST24-NG-MVKEI-GCRK)

ASSEMBLED INDOOR 2 AND 3 BURNER SEE THROUGH SYSTEMS - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal bar stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems.

ASSEMBLED SEE THROUGH INDOOR 2-BURNER SERIES MODEL#	18"	24"	30"	36"	42"	48"	60"
<b>2BRN-ST-##-NG-SP</b> Assembled 2 burner natural gas with safety pilot system.	\$853	\$972	\$1044	\$1252	\$1460	\$1973	\$2371
<b>2BRN-ST-##-NG-MVK-GCRK</b> Assembled 2 burner natural gas with millivolt and remote system.	\$1257	\$1374	\$1446	\$1654	\$1863	\$2376	\$2773
<b>2BRN-ST##-NG-MMVR</b> Assembled 2 burner natural gas with modulating millivolt and remote system.	\$1365	\$1482	\$1554	\$1762	\$1971	\$2484	\$2881
<b>2BRN-ST-##-NG-MVKEI-GCRK</b> Assembled 2 burner natural gas with battery electronic and remote system.	\$1574	\$1692	\$1763	\$1971	\$2180	\$2693	\$3090
Assembled 2 burner propane with safety pilot system.	\$909	\$1027	\$1099	\$1307	\$1516	\$2028	\$2426
<b>2BRN-ST-##-LP-MVK-GCRK</b> Assembled 2 burner propane with millivolt and remote system.	\$1335	\$1452	\$1524	\$1732	\$1941	\$2454	\$2851
<b>2BRN-ST-##-LP-MMVR</b> Assembled 2 burner propane with modulating millivolt remote.	\$1420	\$1539	\$1610	\$1817	\$2026	\$2540	\$2937
<b>2BRN-ST-##-LP-MVKEI-GCRK</b> Assembled 2 burner propane with battery electronic and remote system.	\$1653	\$1771	\$1842	\$2050	\$2259	\$2772	\$3169

*2 burner system, middle & elevated back burner w/height of the 3 burner

Logs not included

ASSEMBLED INDOOR 3-BURNER SERIES MODEL#	18"	24"	30"	36"	42"
<b>3BRN-ST-##-NG-SP</b> Assembled 3 burner natural gas with safety pilot system.	\$1174	\$1318	\$1736	\$2128	\$2409
<b>3BRN-ST-##-NG-MVK-GCRK</b> Assembled 3 burner natural gas with millivolt and remote system.	\$1577	\$1722	\$2100	\$2492	\$2773
<b>3BRN-ST-##-NG-MMVR</b> Assembled 3 burner natural gas with modulating millivolt and remote system.	\$1685	\$1830	\$1993	\$2385	\$2666
<b>3BRN-ST-##-NG-MVKEI-GCRK</b> Assembled 3 burner natural gas with battery electronic and remote system.	\$1894	\$2039	\$2202	\$2594	\$2875
<b>3BRN-ST-##-LP-SP</b> Assembled 3 burner propane with safety pilot system.	\$1230	\$1374	\$1539	\$1931	\$2210
<b>3BRN-ST-##-LP-MVK-GCRK</b> Assembled 3 burner propane with millivolt and remote system.	\$1655	\$1800	\$1963	\$2355	\$2636
<b>3BRN-ST-##-LP-MMVR</b> Assembled 3 burner propane with modulating millivolt remote.	\$1740	\$1885	\$2049	\$2441	\$2722
<b>3BRN-ST-##-LP-MVKEI-GCRK</b> Assembled 3 burner propane with battery electronic and remote system.	\$1973	\$2118	\$2281	\$2673	\$2954

^{*##=}SIZE

Logs not included



# **SELECT YOUR JUMBO/JUMBO SLIMLINE**



**VENTED JUMBO LOG SETS** - Indoor/Outdoor Logs, All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete with a ceramic refractory and Stainless-Steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

VENTED FRONT VIEW JUMBO LOG	SETS M	ODEL#	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	120"
ARIZONA WEATHERED OAK JUMBO*	JUMBO	AWO##LOGS				<b>\$1933</b> 325#/3/13							
AZ WEATHERED OAK CHARRED JUN	IBO* JUMBOA	WOC##LOGS								<b>\$5070</b> 650#/6/0	<b>\$5464</b> 710#/6/0	<b>\$5982</b> 790#/6/0	
AZ WEATHERED OAK JUMBO SLIM**	· JUMBOSLI	MAWO##LOGS	<b>\$789</b> 115#/3/8	<b>\$959</b> 150#/3/9		<b>\$1938</b> 240#/3/13							
*Only 21" deep burners. **Only 18" dee	p burners.									weight/	'boxes/lo	og numb	er in se
JUMBO SEE THROUGH LOG SE	Т	M	ODEL#		24"	30"	36"	42"	48"	60"	72"	84"	120
*AZ WEATHERED OAK JUMBO S	EE THROUG	H JUMBOA	WOST##	LOGS	<b>\$1171</b> 115#/3/9						<b>\$4176</b> 385#/5/26		\$682 5/30
*Only 24" deep burners.					115#/5/5	130#/3/10	190#/3/13	240#/3/13			boxes/lo		
<b>SELECT YOU</b>	DIII	MRO	/ 11		R(				IN	3		DN	-
ONTACT				-						1.4		-	
US FOR ARGER		le			20	J			Δ				1
SIZES		1		111	-	1		6	-				4
					Jumb	o Burne		C					
Ju	mbo Burner	6			Stair	iless Ste	el			Jumb	o See Th	rough B	urner
(JUME	BOBRNR-36)	12		`	MBOBRI	NR-36-S	S)				o See Th (JUMBO	BRNR-S	
JUMBO SERIES BURNERS	^{80BRNR-36)} - Ceramic c			netal	MBOBRI bar st	NR-36-S ock ar	^{s)} nd buri			welde	(JUMBO ed toge	BRNR-S ether.	
(JUME	^{80BRNR-36)} - Ceramic c SLIM AWO I	.ogs ONLY.	Fits Is	metal okern	MBOBRI bar st Magr	NR-36-S ock ar ium Se	^{s)} nd buri eries 1	8" Dee	ep Bur	welde ner. B	(JUMBO ed toge urners	BRNR-S ether.	
(JUME JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG.	30BRNR-36) - Ceramic c SLIM AWO I or use. All b	ogs ONLY. urners incl	Fits Is	metal okern	MBOBRI bar st Magr	NR-36-S ock ar ium Se	^{s)} nd buri eries 1	8" Dee	ep Bur	welde ner. B	(JUMBO ed toge urners	BRNR-S ether.	
(JUME JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoor	30BRNR-36) - Ceramic c SLIM AWO I or use. All b	ogs ONLY. urners incl	Fits Is	metal okern /a roci 30"	MBOBRI bar st Magr k, fittin <b>36</b> "	NR-36-SS ock ar num Se ngs, fle <b>42</b> "	s) nd burn eries 1 ex line 48"	8" Dee , embe 60"	ep Bur ers, an <b>72</b> "	welde ner. Bi d dam 84"	(JUMBO ed toge urners nper cl 96"	BRÑR-S ether. amp. 108"	T-36) <b>120</b>
(JUME JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG.	30BRNR-36) - Ceramic c SLIM AWO I or use. All b RNERS MO	ogs ONLY. urners incl	Fits Is ude lav	metal okern /a roci 30"	MBOBRI bar st Magr k, fittin <b>36</b> "	NR-36-SS ock ar num Se ngs, fle <b>42</b> "	s) nd burn eries 1 ex line 48"	8" Dee , embe 60"	ep Bur ers, an <b>72</b> "	welde ner. Bi d dam 84"	(JUMBO ed toge urners nper cl	BRÑR-S ether. amp. 108"	T-36) 120 \$852
(JUME JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU	BOBRNR-36) - Ceramic c SLIM AWO I or use. All b RNERS MO JUMBOI	ogs ONLY. urners incl DEL#	Fits Is ude lav	metal okern /a rocl 30"	MBOBRI bar st Magr k, fittin <b>36</b> " <b>\$2799</b> ^{95#}	NR-36-S3 ock ar num Se ngs, fle <b>42</b> " <b>\$3090</b> 110#	s) nd burn eries 1 ex line 48" \$3378 130#	8" Dee , embe 60" \$3894 _{160#}	ep Bur ers, an <b>72</b> " \$ <b>5492</b> ^{190#}	welde ner. Bi d dam 84" \$6186	(JUMBO ed toge urners nper cl 96" \$7143	BRÑR-S ether. amp. 108" \$7695	^{T-36)} 120 \$852
(JUME JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER	OBRNR-36) - Ceramic c SLIM AWO I or use. All b RNERS MO JUMBOI JUMBOSLI	ogs ONLY. urners incl DEL# BRNR-##	Fits Is ude lav 24" \$1830	metal okern /a rocl 30" \$2054	MBOBRI bar st Magr k, fittin 36" \$2799 ^{95#} \$2508	NR-36-S3 ock ar num Se ngs, fle 42" \$3090 110# \$2746	s) nd burn eries 1 ex line 48" \$3378 130# \$3063	8" Dee , embe 60" \$3894 ^{160#} \$3506	ep Bur ers, an 72" \$5492 ^{190#} \$5492	welde ner. Bi d dam 84" \$6186	(JUMBO ed toge urners per cl 96" \$7143 250#	BRÑR-S ether. amp. 108" \$7695	T-36) <b>120</b> \$852 _{280#}
(JUME JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER JUMBO SLIMLINE BURNER	30BRNR-36) - Ceramic c SLIM AWO I or use. All b RNERS MO JUMBOSLI eks lead time.	ogs ONLY. urners incl DEL# BRNR-## MBRNR-##	Fits Is ude lav 24" \$1830 55#	metal okern /a rocl 30" \$2054	MBOBRI bar st Magr k, fittin 36" \$2799 ^{95#} \$2508	NR-36-S3 ock ar num Se ngs, fle 42" \$3090 110# \$2746	s) nd burn eries 1 ex line 48" \$3378 130# \$3063	8" Dee , embe 60" \$3894 ^{160#} \$3506	ep Bur ers, an 72" \$5492 ^{190#} \$5492	welde ner. Bi d dam 84" \$6186	(JUMBO ed toge urners per cl 96" \$7143 250#	BRÑR-S' ether. amp. 108" \$7695 _{280#}	T-36) <b>120</b> \$ <b>852</b> 280# nclude
(JUME JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER JUMBO SLIMLINE BURNER *Sizes 72"+ special order burner, 3-4 wer	Ceramic c SLIM AWO I Dr use. All b RNERS MO JUMBOSLI eks lead time.	ogs ONLY. urners incl DEL# BRNR-## MBRNR-##	Fits Is ude lav 24" \$1830 55#	metal ookern /a roc 30" \$2054	MBOBRI bar st Magr k, fittin <b>36</b> " <b>\$2799</b> 95# <b>\$2508</b> 75#	NR-36-S3 ock ar num Se ngs, fle <b>42</b> " <b>\$3090</b> 110# <b>\$2746</b> 90#	s) ad burn eries 1 ex line 48" \$3378 130# \$3063 110# 36"	8" Dee , embe 60" \$3894 160# \$3506 140#	ep Bur ers, an 72" \$5492 190# \$5492 170# 48"	welde ner. Br d dam 84" \$6186 230#	(JUMBO ed toge urners pper cl 96" \$7143 250#	BRÑR-S' ether. amp. 108" \$7695 280# gs not ir <b>84</b> "	T-36) 120 \$852 280# nclude 120
(JUME JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER JUMBO SLIMLINE BURNER *Sizes 72"+ special order burner, 3-4 wer FRONT VIEW JUMBO STAINLES	Ceramic c SLIM AWO I Dr use. All b RNERS MO JUMBOI JUMBOSLI eks lead time.	Logs ONLY. urners incl DEL# BRNR-## MBRNR-## RNERS MO	Fits Is ude lav 24" \$1830 55# DDEL# BRNR-##	metal ookern /a roc 30" \$2054 65#	MBOBRI bar st Magr k, fittin <b>36</b> " <b>\$2799</b> 95# <b>\$2508</b> 75# <b>24</b> " <b>\$3018</b>	NR-36-S3 ock ar num Se ngs, fle <b>42</b> " <b>\$3090</b> 110# <b>\$2746</b> 90# <b>30</b> " <b>\$3360</b>	s) ad burneries 1 ex line 48" \$3378 \$3063 110# \$4311 95# \$4152	8" Dee , embe 60" \$3894 160# \$3506 140# \$4574 \$4574	ep Bur ers, an 72" \$5492 190# \$5492 170# \$5492 170# \$5492 170# \$5492 170#	welde ner. Bi d dam 84" \$6186 230# \$5960 160# \$5770	(JUMBO ed toge urners per cl 96" \$7143 250# Lo 72" \$7742	BRÑR-S' ether. amp. 108" \$7695 280# gs not ir <b>84</b> "	T-36) 120 \$852 280# nclude 120
(JUME JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER *Sizes 72"+ special order burner, 3-4 wee FRONT VIEW JUMBO STAINLESS JUMBO BURNER STAINLESS STEEL	BOBRNR-36) - Ceramic c SLIM AWO I or use. All b RNERS MO JUMBOSLI eks lead time. S STEEL BU 	ogs ONLY. urners incl DEL# BRNR-## MBRNR-## RNERS MO JUMBOI	Fits Is ude lav 24" \$1830 55# DDEL# BRNR-##	metal ookern /a roc 30" \$2054 65#	MBOBRI bar st Magr k, fittin <b>36</b> " <b>\$2799</b> 95# <b>\$2508</b> 75# <b>24</b> "	NR-36-S3 ock ar num Se ngs, fle <b>42"</b> <b>\$3090</b> 110# <b>\$2746</b> 90# <b>30</b> "	s) ad burneries 1 ex line 48" \$3378 \$3063 110# \$3063 110# \$4311 95#	8" Dee , embe 60" \$3894 160# \$3506 140# <b>42</b> " <b>\$4719</b> 110#	ep Bur ers, an 72" \$5492 190# \$5492 170# 48" \$5186 130#	welde ner. Bi d dam 84" \$6186 230# 60" \$5960 160#	(JUMBO ed toge urners per cl 96" \$7143 250# Lo 72" \$7742	BRÑR-S' ether. amp. 108" \$7695 280# gs not ir <b>84</b> "	120 \$852 280# 120 \$1318
JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER *Sizes 72"+ special order burner, 3-4 wer FRONT VIEW JUMBO STAINLES JUMBO BURNER STAINLESS STEEL	BOBRNR-36) - Ceramic c SLIM AWO I or use. All b RNERS MO JUMBOSLI eks lead time. S STEEL BU ESS STEEL* Burner.	ogs ONLY. urners incl DEL# BRNR-## MBRNR-## RNERS MO JUMBOI JUMBOSLI	Fits Is ude lav 24" \$1830 55# DDEL# BRNR-##	metal ookern /a roc 30" \$2054 65#	MBOBRI bar st Magr k, fittin <b>36</b> " <b>\$2799</b> 95# <b>\$2508</b> 75# <b>24</b> " <b>\$3018</b>	NR-36-S3 ock ar num Se ngs, fle <b>42</b> " <b>\$3090</b> 110# <b>\$2746</b> 90# <b>30</b> " <b>\$3360</b>	s) ad burneries 1 ex line 48" \$3378 \$3063 110# \$4311 95# \$4152	8" Dee , embe 60" \$3894 160# \$3506 140# \$4574 \$4574	ep Bur ers, an 72" \$5492 190# \$5492 170# \$5492 170# \$5492 170# \$5492 170#	welde ner. Bi d dam 84" \$6186 230# \$5960 160# \$5770	(JUMBO ed toge urners per cl 96" \$7143 250# Lo 72" \$7742	BRNR-S ether. amp. 108" \$7695 280# gs not ir 84" \$8264	120 \$852 280# 120 \$1318
(JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoor ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER JUMBO SLIMLINE BURNER *Sizes 72"+ special order burner, 3-4 wea FRONT VIEW JUMBO STAINLESS JUMBO BURNER STAINLESS STEEL JUMBO SLIMLINE BURNER STAINLESS	SOBRNR-36) - Ceramic c SLIM AWO I or use. All b RNERS MO JUMBOSLI eks lead time. S STEEL BU - ESS STEEL* Burner. RS	ogs ONLY. urners incl DEL# BRNR-## MBRNR-## RNERS MO JUMBOI JUMBOSLI	Fits Is ude lav 24" \$1830 55# DDEL# MBRNR•	metal sokern /a roci 30" \$2054 65# #-SS	MBOBRI bar st Magr k, fittin 36" \$2799 95# \$2508 75# 24" \$3018 \$55# \$24" \$3063	NR-36-S: ock ar num Se ngs, fle <b>42</b> " <b>\$3090</b> 110# <b>\$2746</b> 90# <b>30</b> " <b>\$3360</b> 65# <b>30</b> " <b>\$3776</b>	s) nd burn eries 1 ex line 48" \$3378 \$3063 110# \$43063 110# \$43063 \$4311 \$4352 75# 36" \$4806	8" Dee , embe 60" \$3894 160# \$3506 140# \$42" \$4719 110# \$4574 90# 42" \$5333	ep Bur ers, an 72" \$5492 190# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 170# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$55492 100# \$5540	welde ner. Bi d dam <b>84"</b> \$6186 230# \$5960 160# \$5770 140# \$60" \$6731	(JUMBO ed toge urners per cl \$7143 250# Lo 72" \$7742 Lo 72" \$7691	BRNR-S' ether. amp. 108" \$7695 280# gs not ir <b>84</b> " \$8264 gs not ir <b>84</b> " \$8759	120 \$852 280# 120 \$1318 \$1318 \$1318 \$120 \$1342
(JUME) JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER *Sizes 72"+ special order burner, 3-4 wee FRONT VIEW JUMBO STAINLESS JUMBO BURNER STAINLESS STEEL JUMBO SLIMLINE BURNER STAINLESS SEE THROUGH JUMBO BURNER	BOBRNR-36) - Ceramic c SLIM AWO I Dr use. All b RNERS MO JUMBOSLI eks lead time. S STEEL BU ESS STEEL* Burner. R	Logs ONLY. urners incl DEL# BRNR-## MBRNR-## RNERS MO JUMBOSLI MC JUMBOE	Fits Is ude lav 24" \$1830 55# DDEL# MBRNR- DDEL# BRNR-S	metal sokern /a roci 30" \$2054 65# #-SS -##-SS	MBOBRI bar st Magr k, fittin 36" \$2799 95# \$2508 75# 24" \$3018 55# 24"	NR-36-53 ock ar num Se ngs, fle <b>42</b> " <b>\$3090</b> 110# <b>\$2746</b> 90# <b>30</b> " <b>\$3360</b> 65# <b>30</b> "	s) ad burn eries 1 ex line <b>48</b> " <b>\$3378</b> 130# <b>\$3063</b> 110# <b>\$4306</b> \$4311 95# <b>\$4152</b> 75# <b>36</b> " <b>\$4806</b> 75#	8" Dee 60" \$3894 160# \$3506 140# \$42" \$4719 110# \$4574 90# 42" \$5333 90#	ep Bur ers, an 72" \$5492 190# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 170# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100# \$5542 100 100# 100# 100# 100# 100# 100# 100#	welde ner. Bi d dam <b>84"</b> <b>\$6186</b> 230# <b>\$5960</b> 160# <b>\$5960</b> 140# <b>\$6731</b> 140#	(JUMBO ed toge urners per cl \$7143 250# Lo 72" \$7742 Lo 72" \$7691 165#	BRNR-S' ether. amp. 108" \$7695 280# gs not ir <b>84</b> " \$8264 gs not ir <b>84</b> "	120 \$852 280# 120 \$1318 \$1318 \$1318 \$120 \$1342
(JUME) JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER *Sizes 72"+ special order burner, 3-4 wee FRONT VIEW JUMBO STAINLESS JUMBO BURNER STAINLESS STEEL JUMBO SLIMLINE BURNER STAINLESS SEE THROUGH JUMBO BURNER JUMBO SEE THROUGH BURNER	Ceramic c SLIM AWO I Dr use. All b RNERS MO JUMBOSLI eks lead time. S STEEL BU S STEEL BU S STEEL S Burner. RS R	Logs ONLY. urners incl DEL# BRNR-## MBRNR-## RNERS MO JUMBOSLI JUMBOSLI L JUMBOBF	Fits Is ude lav 24" \$1830 55# DDEL# MBRNR- DDEL# BRNR-ST#	**************************************	MBOBRI bar st Magr k, fittin 36" \$2799 95# \$2508 75# 24" \$3018 55# \$3018 \$55#	NR-36-53 ock ar hum Se hgs, fle <b>42</b> " <b>\$3090</b> 110# <b>\$2746</b> 90# <b>30</b> " <b>\$3360</b> 65# <b>30</b> " <b>\$3360</b> 65#	s) ad burn eries 1 ex line 48" \$3378 \$3063 110# \$43063 110# \$4311 \$4311 \$4152 75# 36" \$4806 75# \$7954	8" Dee 60" \$3894 160# \$3506 140# \$4719 110# \$4774 90# \$4574 \$0# \$5333 90#	ep Bur ers, an 72" \$5492 190# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100\$ \$5043 100\$ \$5043 100\$ \$5043 100\$ \$5043 100\$ \$50	welde ner. Bi d dam <b>84"</b> <b>\$6186</b> 230# <b>\$5960</b> 160# <b>\$5960</b> 140# <b>\$6731</b> 140#	(JUMBO ed toge urners per cl \$7143 250# Lo 72" \$7742 Lo 72" \$7691 165#	BRNR-S' ether. amp. 108" \$7695 280# gs not ir <b>84</b> " \$8264 gs not ir <b>84</b> " \$8759	120 \$852 280# 120 \$1318 ncludea 120 \$1342 200#
(JUMBO SERIES BURNERS Available w/JUMBO/JUMBOS denoted - "-SS" are for outdoo ALL Burners NG. VENTED FRONT VIEW JUMBO BU JUMBO FRONT VIEW BURNER *Sizes 72"+ special order burner, 3-4 we FRONT VIEW JUMBO STAINLES JUMBO BURNER STAINLESS STEEL JUMBO SLIMLINE BURNER STAINLES SEE THROUGH JUMBO BURNER JUMBO SEE THROUGH BURNER STAINLES	Ceramic c SLIM AWO I Dr use. All b RNERS MO JUMBOSLI eks lead time. S STEEL BU S STEEL BU S STEEL S Burner. RS R	Logs ONLY. urners incl DEL# BRNR-## MBRNR-## RNERS MO JUMBOSLI JUMBOSLI L JUMBOBF	Fits Is ude lav 24" \$1830 55# DDEL# MBRNR- DDEL# BRNR-ST#	x a roci sokern /a roci 30" \$2054 65# \$55# \$55# \$55# \$55# \$55# \$55# \$55#	MBOBRI bar st Magr k, fittin 36" \$2799 95# \$2508 75# 24" \$3018 55# \$3018 \$55#	NR-36-S: ock ar num Se ngs, fle \$3090 110# \$2746 90# \$3746 55# \$3760 655# order, 3	s) ad burn eries 1 ex line 48" \$3378 \$3063 110# \$43063 110# \$4311 \$4311 \$4152 75# 36" \$4806 75# \$7954	8" Dee 60" \$3894 160# \$3506 140# \$4719 110# \$4774 90# \$4574 \$0# \$5333 90#	ep Bur ers, an 72" \$5492 190# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5492 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 170# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100# \$5043 100\$ \$5043 100\$ \$5043 100\$ \$5043 100\$ \$5043 100\$ \$50	welde ner. Bi d dam <b>84"</b> <b>\$6186</b> 230# <b>\$5960</b> 160# <b>\$5960</b> 140# <b>\$6731</b> 140#	(JUMBO ed toge urners per cl \$7143 250# Lo 72" \$7742 Lo 72" \$7691 165#	BRNR-S ether. amp. 108" \$7695 280# gs not ir <b>84</b> " \$8264 gs not ir <b>84</b> " <b>\$8759</b> 180#	120 \$852 280# 120 \$1318 \$1318 \$1318 \$1342 200#

customerservice@grandcanyongaslogs.com · (602) 344-4217 · grandcanyongaslogs.com

# VENTED CONTEMPORARY



**CANNONBALLS** - Available in size 2", 4", and 6". These replica sizes can be installed indoor or outdoor for endless viewing pleasure. These can be paired with the Grand Canyon Gas Logs Glass Burner or H Burner then nestled in a bed of lava granules or crushed reflective glass. Stacking choices are as unique as each piece of history when choosing to stack in a uniform pattern or use all three sizes to create a random unique style.

MODEL#	PRI	CE		18"	24"	30"	36"	42"	48"	60"
CB2-12-##	\$111/set			4	5	7	8	9	10	13
CB4-8-##	\$166	/set		3	4	5	6	6	8	10
CB6-4-##	\$222	/set		4	5	6	7	9	10	12
						SET	S: 3 ROV	VS DEEF	9/2 ROW	S HIGH
MODEL#		24"	36"	48"	60"	72"	84"	96"	108"	120"
-LINEAR-##LOGS		<b>\$227</b> 24#/1/6	<b>\$313</b> 32#/1/8	<b>\$446</b> 41#/1/9	<b>\$658</b> 63#/2/11	<b>\$727</b> 85#/2/13				
MODEL#	18"	24"	30"	36"	42"	48"	60"	72"	84"	96"
ASSBRN-##/12-H	\$212	\$220	\$272							
ASSBRN-##/14-H				\$523	\$594	\$860	\$1104	\$1374	\$1791	
SSBRN-##/12-H-SS	\$280	\$327	\$677							
	CB2-12-## CB4-8-## CB6-4-## MODEL# -LINEAR-##LOGS MODEL# ASSBRN-##/12-H ASSBRN-##/14-H	CB2-12-## \$111 CB4-8-## \$166 CB6-4-## \$222 MODEL# -LINEAR-##LOGS MODEL# 18" ASSBRN-##/12-H \$212 ASSBRN-##/14-H	CB2-12-## \$111/set CB4-8-## \$166/set CB6-4-## \$222/set MODEL# 24" -LINEAR-##LOGS \$227 24#/1/6 MODEL# 18" 24" ASSBRN-##/12-H \$212 \$220 ASSBRN-##/14-H	CB2-12-## \$111/set   CB4-8-## \$166/set   CB6-4-## \$222/set   MODEL# 24" 36"   -LINEAR-##LOGS \$227 \$313   MODEL# 18" 24" 30"   ASSBRN-##/12-H \$212 \$220 \$272   ASSBRN-##/14-H 501 501 501	CB2-12-## \$111/set 4   CB4-8-## \$166/set 3   CB6-4-## \$222/set 4   MODEL# 24" 36"   -LINEAR-##LOGS \$227 \$313 \$446   MODEL# 18" 24" 30" 36"   MODEL# 18" 24" 30" 36"   ASSBRN-##/12-H \$212 \$220 \$272 \$523	CB2-12-## \$111/set 4 5   CB4-8-## \$166/set 3 4   CB6-4-## \$222/set 4 5   MODEL# \$22/set 4 5   HODEL# \$227 \$313 \$446   Solution \$227 \$313 \$446   MODEL# 18" 24" 30" 36" 42"   MODEL# 18" 24" 30" 36" 42"   ASSBRN-##/12-H \$212 \$220 \$272 \$594	CB2-12-## \$111/set 4 5 7   CB4-8-## \$166/set 3 4 5   CB6-4-## \$222/set 4 5 6   CB6-4-## \$222/set 4 60° 72°   MODEL# 24" 36° 48" 60° 72°   HODEL# 24#/1/6 313 \$446 \$658 \$727   MODEL# 18" 24" 30° 36" 42" 48"   ASSBRN-##/12-H \$212 \$220 \$272 \$533 \$594 \$860	CB2-12-## \$11/set 4 5 7 8   CB4-8-## \$166/set 3 4 5 6   CB6-4-## \$22/set 4 5 6 7   MODEL# 24" 36" 48" 60" 72" 84"   HODEL# 24" 36" 48" 60" 72" 84"   MODEL# 24"/16" 32#/16" \$41#/10" \$63#/2/10" \$8#72/10" \$895   MODEL# 18" 24" 30" 36" 42" 48" 60"   MODEL# 18" 24" 30" 36" 42" 48" 60"   ASSBRN-##/12-H \$212 \$220 \$272 \$272 \$594 \$860 \$1104	CB2-12-## \$11/set 4 5 7 8 9   CB4-8-## \$166/set 3 4 5 6 6   CB6-4-## \$222/set 4 5 6 7 9   CB6-4-## \$222/set 4 5 6 7 9   MODEL# 24" 36" 48" 60" 72" 84" 96"   HODEL# \$227 \$313 \$446 \$658 \$727 \$895 \$1058   MODEL# \$24#/1/6 \$22#/1/8 \$24#/1/6 \$24" 36" 42" 48" 60" 72" \$895 \$1058   MODEL# 18" 24" 30" 36" 42" 48" 60" 72"   ASSBRN-##/12-H \$212 \$220 \$272 5594 \$860 \$1104 \$1374	CB2-12-## \$11/set 4 5 7 8 9 10   CB4-8-## \$166/set 3 4 5 6 6 8   CB6-4-## \$222/set 4 5 6 7 9 10   MODEL# 24" 36" 48" 60" 72" 84" 96" 108"   MODEL# 24" 36" 48" 60" 72" 84" 96" 108"   MODEL# 24"/16" 36" 48" 60" 72" 84" 96" 108"   MODEL# 18" 24" 36" 48" 60" 72" 84" 96" 108"   MODEL# 18" 24" 30" 36" 42" 85#/2/10" 85#/2/10" 93#/2/20"

Also choose Lava Granules (HP-B-GR-10) and Glowing Embers (GLE-6B) from page 12 to add to your order or choose glass from page 13.



Linear Western Driftwood (WD-LINEAR-36LOGS)



Glass Burner - Stainless Steel (GLASSBRN-36/14-H-SS) Glass Burner w/Modulating Millivolt and Remote System - NG (GLASSBRN-30/12-H-NG-MMVR)

# **VENTED CONTEMPORARY - ASSEMBLED**

ASSEMBLED WITH REMOTE SYSTEM

ND	ASSEMBLED GLASS BURNERS (INDOOR/OUTDOOR)	MODEL#	18"	24"	30"	36"	42"
1	GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - NG	GLASSBRN-##/12-H-NG-MVK-GCRK	\$812	\$819	\$872		
	GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - NG	GLASSBRN-##/14-H-NG-MVK-GCRK				\$1121	\$1190
	GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - LP	GLASSBRN-##/12-H-LP-MVK-GCRK	\$914	\$898	\$974		
	GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - LP	GLASSBRN-##/14-H-LP-MVK-GCRK				\$1199	\$1268
	GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - NG	GLASSBRN-##/12-H-NG-MMVR	\$920	\$871	\$980		
	GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - NG	GLASSBRN-##/14-H-NG-MMVR				\$1229	\$1298
	GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - LP	GLASSBRN-##/12-H-LP-MMVR	\$976	\$983	\$1035		
	GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - LP	GLASSBRN-##/14-H-LP-MMVR				\$1284	\$1354
	GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - NG	GLASSBRN-##/12-H-NG-MVKEI-GCRK	\$1129	\$960	\$1189		
	GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - NG	GLASSBRN-##/14-H-NG-MVKEI-GCRK				\$1262	\$1507
	GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - LP	GLASSBRN-##/12-H-LP-MVKEI-GCRK	\$1208	\$1040	\$1268		
	GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - LP	GLASSBRN-##/14-H-LP-MVKEI-GCRK				\$1341	\$1411
1							

Also choose Lava Granules (HP-B-GR-10) and Glowing Embers (GLE-6B) from page 12 to add to your order or choose glass from page 13.



# **CONTROLS, TWIGS, AND ACCESSORIES**

	ACCESSORIES	MODEL#	MSRP	FEATURES	BURNER
	GCRK	GCRK	\$169	Basic On/Off Operations; RF Transmitter & Receiver; LCD Temp Display; Includes Batteries & Wall Plate	MVQMKN/LP; HCMVQMKN/LP; ALL EIS Configurations
	WBPB-12/24	WBPB-12	\$522	Bluetooth   Wi-Fi & Manual Control; Connect with Home Automation or Weather Smart App; 24V System	ALL EIS Configurations: WBECS
AN	72" PILOT EXTENSION FOR WEATHER BEATER PILOT ASSEMBLY (PILOT NOT INCLUDED)	WB-72EX	\$407		WBECS & HC-WBECS
Ī	LARGE INSTALLATION KIT FLEX, KEY, FITTING 3/4"	KIT-LG	\$139		
	SMALL INSTALLATION KIT FLEX, KEY, FITTING 1/2"	KIT-SM	\$116		



AZ JUNIPER TWIG SET (AJTWIG3)



GRANULES (HP-B-GR-10)



VOLCANIC ROCK (HP-B-R-10)





(VEM-8)



PLATINUM EMBERS VERMICULITE (PBE-1)

LAVA PEBBLES (NL-5080)

TWIG KITS & MEDIA	MODEL#	LBS.	MSRP
AZ JUNIPER TWIG SET - 3 TWIGS		7	\$70
			·
QUAKING ASPEN TWIG SET - 4 TWIGS	ASPENWIG4	8	\$135
AZ WEATHERED OAK CHARRED TWIG SET - 3 TWIGS	AWOCTWIG3	9	\$86
ARIZONA WEATHERED OAK TWIG 3 PC SET - 3 TWIGS	AWOTWIG3	9	\$86
ARIZONA WEATHERED OAK TWIG 5 PC SET - 5 TWIGS	AWOTWIG5	15	\$174
BLUE PINE SPLIT TWIG SET LOGS ONLY 5 PC SET - 5 TWIGS	BPSTWIG5	11	\$162
DRIFTWOOD TWIG SET - 3 TWIGS	DRIFTWOODTWIG3	7	\$70
BLACK GRANULES - 10 LB. BAG	HP-B-GR-10	10	\$23
BLACK VOLCANIC ROCK - 10 LB. BAG	HP-B-R-10	10	\$23
BLACK GLOWING EMBERS - 6 OZ. BAG	GLE-6B	.10	\$31
PLATINUM BRIGHT EMBERS - 1 GRAM	PBE-1	.01	\$19
VERMICULITE - 8 OZ. BAG	VEM-8	.08	\$13
1" – 2" LAVA PEBBLES - 50 LB. BAG	NL-3050	50	\$147
2" – 3" LAVA PEBBLES - 50 LB. BAG	NL-5080	50	\$147
> 1 GRAM BAG GLOWING WIRE	GLW-1	.0022	\$10
6 OZ. BAG BLACK VERMICULITE	VEM-6	.375	\$20

Indoor/Outdoor Logs compatible with ALL Grand Canyon Gas Logs log sets. Twigs are an easy way to add mass and height to a gas log set. Available in ALL log species.



Price Guide effective April 01, 2024

NE

NE NE

# FIRE GLASS



POSFIDON BLUF







**VESPER BLACK** 





**TERRA COPPER** 

(RFG-10-TC)



AMBER DIAMOND (RFG-10-AG)

(RFG-10-PB) (RFG-10-AT) (RFG-10-KD) (RFG-10-VB) FIRE GLASS - 1/2" reflective premium fire glass in 10lb. containers.

ADRIATIC TOPAZ KRYSTALLO DIAMOND

#### APOLLO BRONZE (RFG-10-AB)

FIRE GLASS - 1/2" reflective premium fire glass in 10	FIRE GLASS - 1/2" reflective premium fire glass in 10lb. containers.										
GLASS 1/2" CRUSHED REFLECTIVE	MODEL#	LBS	MSRP	PER TUB							
1/2" POSEIDON RFG (COBALT) - 10 LB. BAG	RFG-10-PB	10	\$5.00 PER LB.	\$50.00							
1/2" ADRIATIC TOPAZ RFG (JASPER) - 10 LB. BAG	RFG-10-AT	10	\$5.00 PER LB.	\$50.00							
1/2" KRYSTALLO RFG (STARFIRE) - 10 LB. BAG	RFG-10-KD	10	\$5.00 PER LB.	\$50.00							
1/2" VESPER RFG (BLACK) - 10 LB. BAG	RFG-10-VB	10	\$5.00 PER LB.	\$50.00							
1/2" APOLLO RFG (BRONZE) - 10 LB. BAG	RFG-10-AB	10	\$5.00 PER LB.	\$50.00							
1/2" TERRA RFG (COPPER) - 10 LB. BAG	RFG-10-TC	10	\$5.00 PER LB.	\$50.00							
1/2" AMBER DIAMOND RFG (AMBER) - 10 LB. BAG	RFG-10-AG	10	\$5.00 PER LB.	\$50.00							

Indoor/Outdoor use. Compatible with **ALL** Grand Canyon Gas Logs glass and fire-pit burners. Glass is priced per lb., sold 10 lbs. per order. Calculator found on Grand Canyon Gas Logs website.

### **CONTROLS & ACCESSORIES**







SAFETY PILOT KIT (SPQMKLP) MODULATING MILLIVOLT (MMVKR-LP) BATTERY ELECTRONIC (MVKEIKLP) DESCRIPTION MODEL# MSRP USE FEATURES OPTIONS **BURNER CAPABILITY** Manual On/Off w/Knob or Wrench Operations MA - 2 Burner/Glass/Kiva -MANUAL VALVE MA **\$77** I/O ONLY; Low Profile Design;, Max Inlet 14" W.C., N/A 18"-42" (NG/LP) I/O Valve Temp Rating 300°; 90,000 BTU's (NG/LP) - MA; 240,000 BTU's (NG/LP) - MAHC HIGH CAPACITY MANUAL VALVE MAHC-GC \$98 N/A 3 Burner - 18"-30" (NG/LP) Standing Pilot System; Manual On/Off 2 Burner/Glass/Kiva - 18"-30" (NG); SAFETY PILOT NATURAL GAS **SPQMKN** \$192 N/A 18"-42" (LP) I/O Operations ONLY; Low Profile Design; I/O Max Inlet 14" W.C.; Valve Temp Rating 300°; 3 Burner - 18"-24" (NG); 18"-36" (LP) SAFETY PILOT PROPANE **SPQMKLP** \$192 N/A Jumbo/Jumbo Slimline - N/A (NG); N/A (LP) (NG) 90,000 BTU's; (LP) 90,000 BTU's I/O Standing Pilot System; Manual On/Off Operations 2 Burner/Glass/Kiva - 18"-42" (NG); 18"-60" (LP) HIGH CAPACITY SAFETY PILOT NATURAL GAS HCSPK-NG \$432 N/A I/O ONLY; Max Inlet 14" W.C; Valve Temp Rating 250°; (NG) 142,000 BTU's; (LP) 142,000 BTU's 3 Burner - 18"-42" (NG); 18"-42" (LP) HIGH CAPACITY SAFETY PILOT PROPANE **HCSPK-LP** \$453 N/A Jumbo/Jumbo Slimline - 24"-30" (NG); 24"-48" (LP) GCRK Standing Pilot System; On/Off Operations 2 Burner/Glass/Kiva - 18"-30" (NG); 18"-42" (LP) (On/Off) MILLIVOLT OUICK MOUNT KIT NATURAL GAS **MVOMKN** \$410 IN ONLY; Low Profile Design; Max Inlet 14" W.C.; 3 Burner - 18"-24" (NG); 18"-36" (LP) Valve Temp Rating 175°; (NG) 3"-5" W.C. GCWS MILLIVOLT QUICK MOUNT KIT PROPANE **MVQMKLP** \$432 IN (On/Off)Jumbo/Jumbo Slimline - N/A (NG); 24"-30" (LP) 82,000 BTU's; (LP) 8"-12" W.C. 110,000 BTU's Wall Swit INCLUDES REMOTE; Standing Pilot System; Variable 2 Burner/Glass/Kiva - 18"-42" (NG); 18"-42" (LP) MODULATION MILLIVOLT KIT NATURAL GAS MMVKR-NG \$683 IN N/A Flame Height; Low Profile Design;, Max Inlet 14" 3 Burner - 18"-42" (NG); 18"-42" (LP) W.C.; Valve Temp Rating 225°; (NG) 7" W.C. 120,000 MODULATION MILLIVOLT KIT PROPANE MMVKR-LP \$683 IN N/A Jumbo/Jumbo Slimline - 24"-30" (NG); 24"-30" (LP) BTU's; (LP) 7"-14" W.C. 120,000 BTU's GCRK (On/Off) Standing Pilot System; High Volume Output Millivolt 2 Burner/Glass/Kiva - 18"-60" (NG); 18"-42" (LP) HIGH CAPACITY MILLIVOLT NATURAL GAS **HCMVQMKN** \$617 IN System; On/Off Operations ONLY; Max Inlet 14" 3 Burner - 18"-42" (NG); 18"-42" (LP) Remote GCWS (On/Off) W.C.; Valve Temp Rating 175°; (NG) 3"-5" W.C. HIGH CAPACITY MILLIVOLT PROPANE **HCMVQMKLP** \$672 Jumbo/Jumbo Slimline - 24"-108" (NG); IN 240,000 BTU's; (LP) 8"-12" W.C. 320,000 BTU's Wall Switch 24"-120" (LP) INCLUDES REMOTE; Non-Standing Pilot; 2-D 2 Burner/Glass/Kiva - 18"-60" (NG); BATTERY ELECTRONIC NATURAL GAS \$715 GCWS (On/Off) **MVKEIKN** IN Cell Battery Electronic Ignition: Pilot on Demand 18"-60" (LP) 3 Burner - 18"-42" (NG); System; On/Off Operations ONLY; Max Inlet 14" DEMAND BATTERY ELECTRONIC PROPANE **MVKEIKLP** \$738 IN Wall 18"-42" (LP) Jumbo/Jumbo Slimline W.C., Valve Temp Rating 175°; (NG) 3"-7" W.C. Switch - 24"-30" (NG); 24"-36" (LP) 120,000 BTU's; (LP) 8"-14" W.C. 140,000 BTU's

INDOOR/OUTDOOR = I/O; INDOOR = IN; OUTDOOR = OUT



# **CONTROLS & ACCESSORIES (CONT)**



ELECTRONIC IGNITION SYSTEM 200K BTU* (EIS)



#### WEATHER BEATER ELECTRONIC CONTROL SYSTEM (WBECS)

DESCRIPTION	MODEL#	MSRP	USE	FEATURES	OPTIONS	BURNER CAPABILITY
ELECTRONIC IGNITION SYSTEM 200K BTU*	EIS	\$1190	IN			
ELECTRONIC IGNITION SYSTEM PROPANE 6' PILOT 320K BTU	EIS-LP	\$1289	IN	Non-Standing Pilot; Pilot on Demand System; 24V Electronic Ignition; On/Off Operations ONLY; In-Wall Design; 6'-10" Pilot Assembly; Max Inlet 14" W.C.; Valve	GCRK (On/Off) Remote GCWS	2 Burner/Glass/Kiva – 18"–60" (NG); 18"-42" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP)
ELECTRONIC IGNITION SYSTEM 200K BTU 10' PILOT*	EIS-10	\$1234	IN	Temp Rating 175°; (NG) 3"-7" W.C. 200,000 BTU's; (LP) 8"-14" W.C. 320,000 BTU's	(On/Off) Wall Switch WBPB12/24	Jumbo/Jumbo Slimline – 24"-60" (NG); 24"-96" (LP)
ELECTRONIC IGNITION SYSTEM 320K BTU*	EIS-LP-10	\$1289	IN	BTUS, (LP) 8 -14 W.C. 320,000 BTUS	WBPB12/24	24 00 (10), 24 90 (21)
ELECTRONIC IGNITION SYSTEM NG OUTDOOR 6' PILOT 200K BTU	EIS-OUTDOOR	\$1289	OUT			
ELECTRONIC IGNITION SYSTEM 200K BTU	EIS-OUTDOOR-10	\$1289	OUT			
ELECTRONIC IGNITION SYSTEM 320K BTU USE LP	EIS-OUTDOOR-LP	\$1289	OUT			
*Indoor use only. Available in 200K, 350K & 720K option. Compatible with ALL burner, in-wall system with 6' pilot a		& compon	ents m	ounted 12 x 12 x 4 metal enclosure. <b>REMO</b>	TE OR WAL	L SWITCH CAN BE ADDED.
	EIS-INDOOR-350-10 EIS-OUTDOOR-350	\$1759 \$1650	IN OUT	Non-Standing Pilot; Pilot on Demand System; 24V Electronic Ignition; On/Off Operations ONLN In-Wall Design; 6'-10' Pilot Assembly; Max Inlet 14" W.C.; Valve Temp Rating 175°; (MG) 3"-7" W.C 350,000 BTU's; (LP) 8"-14" W.C. 560,000 BTU's	GCWS	2 Burner/Glass/Kiva - 18"-60" (NG); 18"-42" (LP) 3 Burner - 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline - 24"-120" (NG); 24"-120" (LP)
720K BTU ELECTRONIC IGNITION S 6' PILOT ASSEMBLY LEAD	EIS-INDOOR-720	\$2249	OUT	, , , , ,		
WEATHER BEATER ELECTRONIC CONTROL SYSTEM	WBECS	\$1951	OUT	Hot Surface Ignition System; Pilot on Demand System; LED Diagnostics; 12V Electronic Ignition; On/Off Operations ONL 24" Pilot Assembly; CSA Certified Control System; Max Inlet 14" W.C.; Valve Temp Rating 175°; 265,000 BTU (NG/LP)		All Fire-Pits; All Fire-Tables; Outdoor Burners
HIGH CAPACITY (500K BTU) WEATHER BEATER ELECTRONIC CONTROL SYSTEM	HC-WBECS	\$2258	OUT	Hot Surface Ignition System; Pilot on Demand System; LED Diagnostics; 12V Electronic Ignition On/Off Operations ONLY; 24" Pilot Assembly; CSA Certified Control System; Max Inlet 14" W.C Valve Temp Rating 175"; 500,000 BTU (NG/LP)	Remote	All Fire-Pits; All Fire-Tables; Outdoor Burners

INDOOR/OUTDOOR = I/O; INDOOR = IN; OUTDOOR = OUT



Price Guide effective April 01, 2024

DEMAN

# ECT YOUR VENTLESS LOG S



VENTLESS LOGS - Ventless Systems: All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete with a ceramic refractory and stainless steel fiber mesh. Logs installed indoors carry a lifetime warranty, burners carry a lifetime warranty, valves/remotes carry a 2 year warranty, and ODS carry a 1 year warranty. Indoor logs compatible with Grand Canyon Gas Log "Vulcan" Ventless Burner ONLY.

VENTLESS GAS LOG SET	MODEL#	18"	24"	30"
WEATHERED OAK (WO)	VFWO##	<b>\$351</b> 28#/1/7	<b>\$414</b> 40#/1/10	<b>\$489</b> 48#/1/10
RED OAK (RO)	VFRO##	<b>\$351</b> 28#/1/7	<b>\$414</b> 40#/1/10	<b>\$489</b> 48#/1/10
SPLIT OAK (SO)	VFSO##	<b>\$351</b> 28#/1/7	<b>\$414</b> 40#/1/10	<b>\$489</b> 48#/1/10
ASPEN BIRCH (AB)	VFAB##	<b>\$351</b> 28#/1/7	<b>\$414</b> 40#/1/10	<b>\$489</b> 48#/1/10

Weight/Boxes/Log number in set



NE





WEATHERED OAK (VFW018)

Price Guide effective April 01, 2024

RED OAK (VFR024)

SPLIT OAK (VFSO30)

ASPEN BIRCH (VFAB24)



VENTLESS BURNERS - Ventless Burners come factory mounted with valves, pilots, and ignition system. All Canyon Series Ventless Burners also are factory tested and duel certified to the vented and ventless ANSI standards.

VENTLESS BURNERS	MODEL#	18"	24"/30"
MILLIVOLT VENTLESS BURNER	VFVUL##M(N/P)	<b>\$1051</b> 25#/1	<b>\$1141</b> 28#/1
VARIABLE VENTLESS BURNER	VFVUL##V(N/P)	<b>\$1148</b> 25#/1	<b>\$1211</b> 28#/1
VARIABLE ELECTRIC VENTLESS BURNER	VFVUL##E(N/P)	<b>\$1409</b> 25#/1	<b>\$1471</b> 28#/1
		Lo	ogs Not Included

GRAND CANYON GAS LOGS: LOGS - ALL CANYON SERIES VENTLESS BURNERS COME WITH VALVES, PILOTS, AND IGNITION SYSTEM. ALL CANYON SERIES VENTLESS BURNERS ARE ALSO FACTORY TESTED AND DUAL CERTIFIED TO THE VENTED & VENTLESS ANSI STANDARDS.

FIREPLA	FIREPLACE FLOOR SIZE FOR BURNERS WHEN CONNECTED TO GAS LINE IN FIREPLACE DIRECTLY												
FIREPLACE SIZE REQUIREMENT CHART		MIN. FIREPLACE DIMENSIONS				BTU'S NAT	URAL GAS	<b>BTU'S PROPANE</b>					
BURNER SIZE	LOG SIZE	FRONT	REAR	DEPTH	HEIGHT	LOW	HIGH	LOW	HIGH				
18"	18"	22"	20"	13"	18"	26K	35K	24K	32K				
24"	24"	28"	20"	14"	18"	19K	37K	19K	37K				
24"	30"	34"	20"	14"	18"	19K	37K	19K	37K				



# **SELECT YOUR OUTDOOR FIRE PIT KIT**



**FIRE PIT STACK SETS** – Outdoor Fire Pit use only, Grand Canyon Gas Logs Round Flat, Round Tall, and Tee-Pee Stack offer a plug and play solution for existing and new construction fire pits. **Choose your stack style, your gas type, controls, and finally one of 3 different log styles.** Build your own enclosure or choose one of our outdoor GFRC Fire Bowls.

ROUND FLAT STACK KITS	MODEL#	18"	24"	30"	36"	48"
ROUND FLAT STACK (RFS) NG	RFS-##-NG	<b>\$324</b> 00#	<b>\$369</b> 00#	<b>\$446</b> 00#	<b>\$599</b> 00#	<b>\$692</b> 00#
ROUND FLAT STACK (RFS) LP	RFS-##-LP	<b>\$427</b> 00#	<b>\$523</b> 00#	<b>\$754</b> 00#	<b>\$943</b> 00#	\$1334 00#
ROUND FLAT STACK ELECTRONIC START (RFWBECS) NG**	RFS-##-WBECS-NG	<b>\$2359</b> 00#	\$2455 00#	\$2687 00#	<b>\$2944</b> 00#	\$3266 00#
ROUND FLAT STACK ELECTRONIC START (RFWBECS) LP**	RFS-##-WBECS-LP	\$2359 00#	\$2455 00#	\$2687 00#	<b>\$2944</b> 00#	\$3266 00#

*Includes Burner, Lava, Key Valve, and Fittings. **All Electronic Ignition Systems require 120 volts of power ran to the fire pit for valve to operate. LP models includes Stainless Steel disc and WBECS models.





ROUND FLAT STACK ELECTRONIC START (RFWBECS) NG (RFS-36-WBECS-NG)

ROUND TALL STACK ELECTRONIC START (RTWBECS) LP (RTS-30-WBECS-LP)

ROUND TALL STACK KITS	MODEL#	18"	24"	30"	36"	48"
ROUND TALL STACK (RTS) NG	RTS-##-NG	<b>\$410</b> 00#	<b>\$455</b> 00#	<b>\$555</b> 00#	<b>\$734</b> 00#	<b>\$827</b> 00#
ROUND TALL STACK (RTS) LP	RTS-##-LP	<b>\$514</b> 00#	<b>\$609</b> 00#	<b>\$817</b> 00#	<b>\$1124</b> 00#	<b>\$1469</b> 00#
ROUND TALL STACK ELECTRONIC START (RTWBECS) NG**	RTS-##-WBECS-NG	<b>\$2445</b> 00#	<b>\$2541</b> 00#	<b>\$2772</b> 00#	\$3079 00#	<b>\$3401</b> 00#
ROUND TALL STACK ELECTRONIC START (RTWBECS) LP**	RTS-##-WBECS-LP	<b>\$2445</b> 00#	\$2541 00#	<b>\$2772</b> 00#	\$3079 00#	\$3401 00#

*Includes Burner, Torch Star, Lava, Key Valve, Fittings. **All electronic ignition systems require 120 volts of power ran to the fire pit for valve to operate. LP models includes Stainless Steel disc and WBECS models.



# **SELECT YOUR OUTDOOR FIRE PIT KIT (CONT)**



TEE-PEE STACK (TPS) (TPS-36-NG)

TEE-PEE STACK KITS	MODEL#	24"	30"	36"	48"
TEE-PEE STACK (TPS) NG	TPS-##-NG	<b>\$922</b> 00#	<b>\$1039</b> 00#	<b>\$1230</b> 0#	<b>\$1321</b> 00#
TEE-PEE STACK (TPS) LP	TPS-##-LP	\$1077 00#	\$1350 00#	\$1643 00#	<b>\$1964</b> 00#
TEE-PEE STACK ELECTRONIC START (TPWBECS) NG**	TPS-##-WBECS-NG	<b>\$3009</b> 00#	\$3281 00#	\$3575 0#	\$3896 00#
TEE-PEE STACK ELECTRONIC START (TPWBECS) LP**	TPS-##-WBECS-LP	\$3009 00#	\$3281 00#	\$3575 00#	\$3896 00#

*Includes Burner, Lava, Key Valve, Fittings. **All electronic ignition systems require 120 volts of power ran to the fire pit for valve to operate. LP models includes Stainless Steel disc and WBECS models.



ARIZONA WEATHERED OAK 9 PC LOG SET (FPAWO-18/24)



WESTERN DRIFTWOOD 9 PC LOG SET (FPWD-18/24)



ASPEN (BIRCH) 9 PC LOG SET (FPASP-18/24)

FIRE PIT LOG SETS	MODEL#	MSRP
ARIZONA WEATHERED OAK - 9 PC LOG SET	FPAWO-18/24	\$345
ARIZONA WEATHERED OAK - 16 PC LOG SET	FPAWO-30/36	\$677
ARIZONA WEATHERED OAK - 31 PC LOG SET	FPAWO-48	\$1739
WESTERN DRIFTWOOD - 9 PC LOG SET	FPWD-18/24	\$345
WESTERN DRIFTWOOD - 16 PC LOG SET	FPWD-30/36	\$677
WESTERN DRIFTWOOD - 31 PC LOG SET	FPWD-48	\$1739
ASPEN (BIRCH) - 9 PC LOG SET	FPASP-18/24	\$345
ASPEN (BIRCH) - 16 PC LOG SET	FPASP-30/36	\$677
ASPEN (BIRCH) - 31 PC LOG SET	FPASP-48	\$1739



DEM/

# **SELECT YOUR OUTDOOR FIRE PRODUCTS**



**OUTDOOR FIRE PIT BURNERS** – 304 Stainless Steel fire feature burners are easily dropped into an existing fire pit. Outdoor Fire Pit Burners include 3-Spoke Ring Burners, reinforced H Burners, and center feed T Burners. **Add a kit to any size to include your flex line, key valve, and natural gas orifices.** Propane orifices available as well as round Stainless Steel disc plates.

	OUTDOOR 304 STAINLESS STEEL BURNERS	MODEL#	6"	12"	18"	24"	30"	36"	48"	60"	72"
	<b>3-SPOKE STAINLESS STEEL RING</b>	FRS##	\$72	\$122	\$143	\$192	\$293	\$357	\$486		
	H BURNER	HBSS##		\$82	\$95	\$107	\$145	\$157	\$170	\$221	\$282
	T BURNER	TBSS##						\$95	\$126	\$170	\$200
ND	3-SPOKE STAINLESS STEEL RING KIT*	FRS##-NGK	\$211	\$257	\$276	\$325	\$435	\$495	\$624		
	H BURNER KIT**	HBSS##-NGK		\$196	\$209	\$221	\$239	\$245	\$263	\$294	\$342
	T BURNER KIT***	TBSS##-NGK						\$196	\$227	\$257	\$288

*Fire Ring Kit: 304 stainless steel fire ring, (NG) orifice, 36" flex line, connection fittings & 1/2" key valve (6"-24") 3/4" (30"-48") **H Burner Kit: 304 stainless steel H burner, (NG) orifice, 36" flex line, connection fittings & 1/2" key valve ***T Burner Kit: 304 stainless steel T burner, (NG) orifice, 36" flex line, connection fittings & 1/2" key valve

#### DEMAND PROPANE ORIFICE FOR OUTDOOR BURNERS - \$25

OAS-LP47 .. 50K BTU'S | 6"-12" FIRE RING

OAS-LP41... 75K BTU'S | 18" FIRE RING | 12"–18" H BURNER

OAS-LP35 .. 100K BTU'S | 24" FIRE RING | 24" H BURNER | 36" T BURNER OAS-LP29 .. 150K BTU'S | 48" H BURNER | 72" T BURNER

OAS-LP26 .. 175K BTU's | 60" H BURNER

OAS-LP22 .. 200K BTU's | 72" H BURNER | 72" T BURNER

OAS-LP12... 300K BTU's | 30"-48" FIRE RING INCLUDES 3/4" CONNECTIONS

OAS-LP31 .. 125K BTU'S | 30"-36" H BURNER | 48" T BURNER

OAS-LP..... PROPANE ORIFICE

# **OUTDOOR ACCESSORIES**



**DROP-IN PANS** - Round, linear, and rectangular Drop-in Pans are constructed out of 100% 304 Stainless Steel. Rectangular and Linear Pans feature folded edges with reinforcement to eliminate buckling. All pans include burners, NG/LP orifice, connection fittings, and flex line.

OUTDOOR 304 STAINLESS STEEL DROP-IN PANS	MODEL#	19"	24"	25"	30"	31"	36"	48"	60"	72"
ROUND STAINLESS STEEL DROP-IN PAN	DIP-RD-##	\$477		\$566		\$751				
RECTANGULAR STAINLESS STEEL DROP-IN PAN	DIP-REC-##		\$354		\$439		\$501	\$606		
LINEAR STAINLESS STEEL DROP-IN PAN	DIP-LN-##						\$416	\$477	\$538	\$606
STRAIGHT BALL VALVE CHROME PLATE w/3 KEY			MOD	EL#			Μ	SRP		
STRAIGHT BALL VALVE CHROME PLATE w/3 KE	ΞY		CP.91	0.CR			\$	\$61		
FITTINGS & FLEX LINE KIT - 1/2" x 16" FLEXLINE			BAK-	12FFL			ę	646		
GRAND CANYON										



# SELECT FIRE TABLE







**GFRC FIRE TABLES** - Glass reinforced concrete (GFRC) fire tables are American made and designed to create a gathering or entertaining area. 18" tall table are to be hard piped in Natural Gas or Propane. Where the 24" tall tables are Propane ONLY with a LP tank access door and thermocouple safety pilot system.

**### - Color selection.** Black (**BLK**); White with Black Wash (**WHT**); Gray with Black Wash (**GRY**); Rust* (**RST**); or Bone* (**BON**). * Colors are not stocked and custom made, 4-6 week lead time order.

FIRE PIT TABLES –18" HIGH	MODEL#	MSRP
OLYMPUS RECTANGULAR FIRE PIT TABLE - 60"L 18"H	ORECFT-603018-###-N/P	\$3610
OLYMPUS RECTANGULAR FIRE PIT TABLE - 72"L 18"H	ORECFT-723018-###-N/P	\$4211
OLYMPUS SQUARE FIRE PIT TABLE	OSQRFT-484818-###-N/P	\$3610
OLYMPUS ROUND FIRE PIT TABLE	ORNDFT-444418-###-N/P	\$3610
FIRE PIT TABLES –24" HIGH	MODEL#	MSRP
OLYMPUS RECTANGULAR FIRE PIT TABLE - 60"L 24" H	ORECFT-603024-###-P	\$4091
OLYMPUS RECTANGULAR FIRE PIT TABLE - 72"L 24" H	ORECFT-723024-###-P	\$5174
OPTIONAL UPGRADE FIRE ROUND TABLE COVER	COVER-ORFT-4848	\$148
OPTIONAL UPGRADE FIRE SQUARE TABLE COVER	COVER-OSFT-4848	\$148
OPTIONAL UPGRADE FIRE RECTANGLE TABLE COVER	COVER-ORECFT-6030	\$148
Fire tables require 30 lbs. of glass or lava rock. Tables are made with concret	e mix and colors may vary from one another.	

IN EMAND	GLASS WIND GUARDS	MODEL#	MSRP
	GLASS WIND GUARD FOR 36" LN	GWG-L36	\$244
	GLASS WIND GUARD FOR 48" LN	GWG-L48	\$352
	GLASS WIND GUARD FOR 19" RND	GWG-R19	\$282



# **SELECT FIRE BOWL**







GFRC FIRE BOWLS - Completely customizable: Choose your size, color, burner style (Ring or Tee-Pee), gas type, and controls. Additional options not included in MSRP are Lava Rock or 1/2" Reflective Fire Glass and 1 of 3 unique fire pit log species (Arizona Weathered Oak, Western Driftwood, and Aspen White Birch).

Glass reinforced concrete (GFRC) fire bowls are American made and designed to create a gathering or entertaining area. Choose from two sizes: 48" diameter (top) x 16" deep or 39" diameter (top) x 13" deep, comes with burner, SS disc ring, and gas orifice.

### - Color Selection. Black (BLK); White with Black Wash (WHT); Gray with Black Wash (GRY); Rust* (RST); or Bone* (BON). * Colors are not stocked and custom made, 4-6 weeks lead time order.

**R** = Ring **TP** = Tee Pee Burner **NG** = Natural Gas **P** = Propane

Shown with logs not included in price, logs are separate order.

FIRE BOWLS	MODEL#	MSRP
FIRE BOWL - 39" x 13" (NATURAL GAS) *Includes 30" Fire Ring Burner, 33" SS Disc, NG Orifice, Small Install Kit & Fer	<b>FB3913-R-N-###</b> et (Select-Additional Cost: 90 lbs. of Glass or 50 lbs. of Lava Roc	<b>\$2834</b> k)
FIRE BOWL - 39" x 13" (PROPANE) *Includes 30" Fire Ring Burner, 33" SS Disc, LP Orifice, Small Install Kit & Fee	<b>FB3913-R-P-###</b> et (Select-Additional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rocl	<b>\$2834</b>
FIRE BOWL - 39" x 13" (NATURAL GAS) *Includes 30" Tee Pee Burner, 33" SS Disc, NG Orifice, Small Install Kit & Fee	<b>FB3913-TP-N-###</b> et (Select-Additional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock	<b>\$3389</b>
FIRE BOWL - 39" x 13" (PROPANE) *Includes 30" Tee Pee Burner, 33" SS Disc, LP Orifice, Small Install Kit & Feet	<b>FB3913-TP-P-###</b> t (Select-Additional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock	<b>\$3389</b>
FIRE BOWL - 48" x 16" (NATURAL GAS) *Includes 36" Fire Ring Burner, 40" SS Disc, NG Orifice, Large Install Kit & Fer	<b>FB4816-R-N-###</b> et (Select-Additional Cost: 190 lbs. of Glass or 70 lbs. of Lava Ro	<b>\$4369</b> ck)
FIRE BOWL - 48" x 16" (PROPANE) *Includes 36" Fire Ring Burner, 40" SS Disc, LP Orifice, Large Install Kit & Fee	<b>FB4816-R-P-###</b> et (Select-Additional Cost: 190 lbs. of Glass or 70 lbs. of Lava Roo	<b>\$4369</b> ck)
FIRE BOWL - 48" x 16" (NATURAL GAS) *Includes 36" Tee Pee Burner, 40" SS Disc, NG Orifice, Large Install Kit & Fee	<b>FB4816-TP-N-###</b> et (Select-Additional Cost: 190 lbs. of Glass or 70 lbs. of Lava Roc	<b>\$4960</b> k)
FIRE BOWL - 48" x 16" (PROPANE) *Includes 36" Tee Pee Burner, 40" SS Disc, LP Orifice, Large Install Kit & Feet	<b>FB4816-TP-P-###</b> t (Select-Additional Cost: 190 lbs. of Glass or 70 lbs. of Lava Roc	<b>\$4960</b> ^{k)}
OPTIONAL COVER ROUND 39D X 13 FIRE BOWL	COVER-FB-3913	\$120
OPTIONAL COVER ROUND 48D X 16 FIRE BOWL	COVER-FB-4816	\$152



K	(IVA SET	S						
the de		NAA	,	NA	à,			
	VAIR .	1 AL			TAX.			
AZ JUNIPER KIVA LOGS (AJ-KIVALOGS) AZ WEATHERED OAK KIVA LOGS (AWO-KIVALOGS)	ASPEN KIVA LOGS (ASPEN-KIVALOGS)	KIVA BURNER (KIVABRN-24)		IRNER STAINL (KIVABRN-24-				
KIVA SERIES SETS	MODEL#	MSRP	18"	24"	30"			
ARIZONA WEATHERED OAK KIVA LOGS	AWO-KIVALOGS	\$264	ONE	SIZE FITS	ALL			
ARIZONA JUNIPER KIVA LOGS	AJ-KIVALOGS	\$264	ONE	SIZE FITS	ALL			
ASPEN KIVA LOGS	ASPEN-KIVA LOGS	\$321	ONE	SIZE FITS	ALL			
KIVA BURNER	KIVABRN-##		\$324	\$396	\$471			
KIVA BURNER STAINLESS STEEL	KIVABRN-##-SS		\$556	\$608	\$656			
*Designed for Adobe lit Kiva fireplaces, burners size to fit Adobe	e Kiva fireplace.		·					
			1					
	Bla	ck White	Rust	Gray	Bone			
3 TIER DISPLAY RACK	FIREGLASS DISPLAY RACK	GERC FI	RE-TABLE COL	OR				
(DISPLAY RACK)	(GLASS RACK)		MPLE (COLOR-					
POINT OF P	IRCHAS	Ξ ΜΑΤΙ	ERIA					
LOG DISPLAY RACKS								
THREE TIER DISPLAY RACK		MODEL#	N	ET COST				
3 TIER DISPLAY RACK	Г	DISPLAY RACK		\$150				
GLASS CONTAINER DISPLAY RACKS - Hold				<b>Q100</b>				
FIREGLASS DISPLAY RACK	s up to 90 containers, c	MODEL#	NE	T COST				
FIREGLASS DISPLAY RACK		GLASS RACK	NL	\$150				
GLASS COLOR CHIP DISPLAY - All seven col		OLASS RACK		\$150				
	ors available.		<b>N</b> 17	TOOOT				
GLASS COLOR CHIP DISPLAY		MODEL#	NI	T COST				
6 SECTION GLASS DISPLAY		GLASSBOX		\$7				
GFRC FIRE-TABLE COLOR DISPLAY - All five	e colors available.							
GFRC FIRE-TABLE COLOR DISPLAY SAMPLES		MODEL#	N	T COST				
COLOR SAMPLE 5 PACK GRAY, CHARCOAL BL RUST, WHITE, BONE		COLOR-CHIPS		\$32				
GRAND CANYON GAS LOGS SALES BROCHU								
SALES BROCHURES		ODEL#		MSRP				
INDOOR BROCHURE 2024		INDOOR_V1		FREE				
OUTDOOR BROCHURE 2024				FREE				
BEDROCK LINEAR BURNER BROCHURE 2024	23/24-B	EDSERIES_V1		FREE				
Price Guide effective April 01, 2024								
Price Guide effective <b>April 01</b> , 2024	GAS 💙 LOGS							

# **REPLACEMENT PARTS**

PILOT ASSEMBLIES	MODEL#	USE	MSRP
18" NATURAL GAS THERMOCOUPLE PILOT ASSEMBLY	SPK-PILOT-18	Safety Pilot and Modulating Millivolt	\$79
18" PROPANE THERMOCOUPLE PILOT ASSEMBLY	SPK-PILOT-18P	Safety Pilot and Modulating Millivolt	\$79
18" MILLIVOLT PILOT ASSEMBLY NG	MV-PILOT-18	Millivolt and HC Millivolt	\$126
18" MILLIVOLT PILOT ASSEMBLY LP	MV-PILOT-18P	Millivolt and HC Millivolt	\$126
36" MILLIVOLT PILOT ASSEMBLY NG	MV-PILOT-36	Millivolt and HC Millivolt	\$144
36" MILLIVOLT PILOT ASSEMBLY LP	MV-PILOT-36P	Millivolt and HC Millivolt	\$144
120" ELECTRONIC PILOT ASSEMBLY NG	ELE-PILOT-120	EIS Indoor / Outdoor	\$246
120" ELECTRONIC PILOT ASSEMBLY LP	ELE-PILOT-120P	EIS Indoor / Outdoor	\$246
72" ELECTRONIC PILOT ASSEMBLY NG	ELE-PILOT-72	EIS Indoor / Outdoor	\$221
72" ELECTRONIC PILOT ASSEMBLY LP	ELE-PILOT-72P	EIS Indoor / Outdoor	\$221
24" PILOT ASSEMBLY FOR BATTERY ELECTRONIC	MVK-PILOT-24	Battery Electronic	\$101
24" PILOT ASSEMBLY FOR BATTERY ELECTRONIC LP	MVK-PILOT-24P	Battery Electronic	\$101
LP CONVERSION KIT ORIFICE AND AIR MIXER ASSEMBLY	LP-CONV	2BRN, 3BRN, Jumbo Jumbo Slim, GLASSBRN, and Kiva	\$54





36" MILLIVOLT PILOT ASSEMBLY NG (MV-PILOT-36)



18" Propane Thermocouple Pilot Assembly (SPK-PILOT-18P)

VALVES	MODEL#	USE	MSRP
NG->LP CONVERSION KIT	1751-016	MVQMKN / LP   HCMVQMKN / LP   ALL EIS	\$31
HIGH OUTPUT MILLIVOLT NATURAL GAS	700-506	HCMVQMKN / HCMVQMKLP	\$500
STANDARD MILLIVOLT GAS VALVE NATURAL GAS	710-502	MVQMKN / MVQMKLP	\$277
200K BTU HEATING KIT NON-LOCKOUT	712-017	EIS / EIS-OUTDOOR	\$750
350K BTU VALVE - ELECTRONIC W/O TRNSFMR,PILOT TUBE & BRNR	712-006	EIS-350 / EIS-OUTDOOR-350	\$999
VENTED MANUAL SAFETY VALVE SKYTECH	AF-1000	MMVKR-N / LP	\$131



# **REPLACEMENT PARTS**







OUTDOOR TP BURNERS (OTPB-36)

36" THERMOPILE LEAD (1950-001)

SKYTECH VARIABLE/THERMOSTAT REMOTE/RECEIVER (SR1001TH-1-GC)

CONTROL ASSEMBLIES			MODEL#	USE		MSRP
SPARK IGNITER ASSEMBLY 10'			1751-120	EIS W/10' PILOT		\$181
SPARK IGNITER ASSEMBLY 6'			1751-749	EIS W/6' PILOT		\$150
18" THERMOCOUPLE			1900-01H	Safety Pilot and Modulating Millivolt		\$20
36" THERMOPILE LEAD			1950-001	Millivolt and HC		\$62
24V TRANSFORMER -FOOTMOUNT FOOTMOUNT HARDWIRE			620-403	Millivolt		\$110
IGNITION MODULE (NON-LOCKOUT) IPI IGNITION (ROBERTSHAW)			780-715	ALL EIS		\$550
IGNITION MODULE (LOCKOUT) IPI IGNITION (ROBERTSHAW)			780-845	EIS-350 and EIS-720		\$649
12V TRANSFORMER WEATHER BEATER			TR-120-12	Weather Beater		\$117
VARIABLE FLAME MOTOR DRIVE FOR RCAF-1020-1 REMOTE CONTROL			AF-1000MH-L	MMVKR-NG/LP		\$105
ON/OFF/HI/LOW TRANSMITTER, RECEIVER, AND BATTERIES VENTED			RCAF-1020-1	MMVKR-NG/LP		\$164
VARIABLE/THERMOSTAT REMOTE/RECEIVER VENTLESS			SR1001TH-1-GC	Variable Ventless		\$218
OUTDOOR TP BURNER	MODEL#		24"	30"	36"	48"
OUTDOOR TP BURNERS	OTPB-##		\$791	\$911	\$1082	\$1228
STAINLESS STEEL DISCS	MODEL#	18"	24"	30"	36"	48"
STAINLESS STEEL DISCS	DISC-##	\$105	\$212	\$352	\$422	\$750







# RPG BRANDS





### WWW.GrandCanyonGasLogs.com PHONE: 602-344-4217

customerservice@grandcanyongaslogs.com

Copyright © 2024 RPG Brands and Grand Canyon Gas Logs. All rights reserved. Products and specifications subject to change without notice.